



JN0-1332^{Q&As}

Security Design Specialist (JNCDS-SEC)

Pass Juniper JN0-1332 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1332.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are designing a corporate WAN using SRX Series devices as a combined firewall and router at each site.

Regarding packet-mode and flow-mode operations in this scenario, which statement is true?


- A. Packet-mode on SRX Series devices is required for deep packet inspection
- B. Packet-mode is only supported on high-end SRX Series devices
- C. An SRX Series device in flow-mode cannot forward packet-mode traffic
- D. Flow-mode on SRX Series devices is required for security services

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-srx-devicesprocessing-overview.xml.html

QUESTION 2

Click the Exhibit button.



Which type of security solution is shown in this exhibit?

- A. service chain model
- B. centralized model



- C. inline security model
- D. de-centralized model

Correct Answer: A

QUESTION 3

You must allow applications to connect to external servers. The session has embedded IP address information to enable the remote system to establish a return session.


In your design, which function should be implemented?

- A. source NAT
- B. application layer gateway
- C. destination NAT
- D. HTTP redirect

Correct Answer: A

QUESTION 4

Click the Exhibit button.



You are designing the virtualized server deployment shown in the exhibit in your data center. The vSRX device is acting as a Layer 2 firewall and the two VMs must communicate through the vSRX device.

Which two actions must you perform to accomplish this task? (Choose two.)

- A. Place both VMs in the same vSwitch
- B. Place both VMs in the same VLAN
- C. Place both VMs in different vSwitches
- D. Place both VMs in different VLANs

Correct Answer: BC

QUESTION 5

You are working on a network design that will use EX Series devices as Layer 2 access switches in a campus environment. You must include Junos Space in your design. You want to take advantage of security features supported on the devices.

Which two security features would satisfy this requirement? (Choose two.)

- A. SDSN
- B. Stateful Firewall



C. Access Control

D. ALG

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/ex-series-securityoverview.html

[JN0-1332 VCE Dumps](#)

[JN0-1332 Exam Questions](#)

[JN0-1332 Braindumps](#)