



# JN0-1332<sup>Q&As</sup>

Security Design Specialist (JNCDS-SEC)

**Pass Juniper JN0-1332 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1332.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

You have a site that has two Internet connections but no switch on the outside of the firewall. You want to use ISP-A over ISP-B during normal operations.

Which type of chassis cluster design would you propose to satisfy this requirement?

- A. Propose active/active cluster deployment with separate redundancy groups
- B. Propose active/passive cluster deployment with separate redundancy groups
- C. Propose active/active cluster deployment without separate redundancy groups
- D. Propose active/passive cluster deployment without separate redundancy groups

Correct Answer: A

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/nce/topics/example/chassis-cluster-srx-active-active-configuring.html](https://www.juniper.net/documentation/en_US/release-independent/nce/topics/example/chassis-cluster-srx-active-active-configuring.html)

---

### QUESTION 2

You are concerned about malicious attachments being transferred to your e-mail server at work through encrypted channels. You want to block these malicious files using your SRX Series device.

Which two features should you use in this scenario? (Choose two.)

- A. Sky ATP SMTP scanning
- B. Sky ATP HTTP scanning
- C. SSL forward proxy
- D. SSL reverse proxy

Correct Answer: AC

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/sky-atp/help/informationproducts/pathway-pages/email-scanning-sky-atp.html](https://www.juniper.net/documentation/en_US/release-independent/sky-atp/help/informationproducts/pathway-pages/email-scanning-sky-atp.html)

---

### QUESTION 3

In a data center, what are two characteristics of access tier VLAN termination on the aggregation tier? (Choose two.)

- A. Multiple VLANs can be part of one security zone
- B. A security zone is limited to a single VLAN
- C. Inter-VLAN traffic within a zone can bypass firewall services
- D. Inter-VLAN traffic is secured through firewall services



Correct Answer: AD

---

#### QUESTION 4

Your company has 500 branch sites and the CIO is concerned about minimizing the potential impact of a VPN router being stolen from an enterprise branch site. You want the ability to quickly disable a stolen VPN router while minimizing administrative overhead.

Which solution accomplishes this task?

- A. Implement a certificate-based VPN using a public key infrastructure (PKI)
- B. Modify your IKE proposals to use Diffie-Hellman group 14 or higher
- C. Use firewall filters to block traffic from the stolen VPN router
- D. Rotate VPN pre-shared keys every month

Correct Answer: C

---

#### QUESTION 5

You are asked to install a mechanism to protect an ISP network from denial-of-service attacks from a small number of sources.

Which mechanism will satisfy this requirement?

- A. RTBH
- B. UTM
- C. Sky ATP
- D. GeoIP

Correct Answer: A

Reference: [https://www.juniper.net/documentation/en\\_US/day-one-books/DO\\_BGP\\_FLowspec.pdf](https://www.juniper.net/documentation/en_US/day-one-books/DO_BGP_FLowspec.pdf)

[JN0-1332 PDF Dumps](#)

[JN0-1332 VCE Dumps](#)

[JN0-1332 Exam Questions](#)