



# JN0-1361<sup>Q&As</sup>

Service Provider Design Specialist (JNCDS-SP)

**Pass Juniper JN0-1361 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1361.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Your customer is automating the management of their WAN network by adding vendor-agnostic workflow applications. Which Junos feature would be used with the workflow applications to manage Junos devices?

- A. Op scripts
- B. JSA scripts
- C. REST API
- D. XML API

Correct Answer: C

---

### QUESTION 2

You are asked to design a BNG solution using MX Series routers. You want to dynamically assign per-subscriber configuration parameters using VSAs.

Which external service is required to accomplish this task?

- A. DHCP
- B. 802.1X
- C. RADIUS
- D. TACACS

Correct Answer: C

---

### QUESTION 3

Your customer's WAN edge connects to two service providers SP-A and SP-B. The customer is advertising a single /22 subnet to both service providers through EBGP peering sessions. The customer wants to influence inbound traffic to the advertised /22 destination prefix so that it passes through SP-A when both paths are operational. Which action meets the customer's requirement?

- A. Advertise the prefix to SP-A with a lower MED value than that sent to SP-B.
- B. Advertise the prefix to SP-B with an origin of unknown.
- C. Advertise the prefix to SP-B with a lower MED value than that sent to SP-A.
- D. Advertise the prefix to SP-A with an origin of unknown.

Correct Answer: A

[https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/med-attribute.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/med-attribute.html)



#### QUESTION 4

What are two considerations for all WAN designs that use best industry practices? (Choose two )

- A. to provide a dynamic routing protocol internally in the LAN
- B. to provide scalability
- C. to provide ease of deployment
- D. to provide VXLAN and EVPN solutions

Correct Answer: BC

---

#### QUESTION 5

Your organization maintains container-based applications hosted by two different cloud service providers.

You are asked to design a Layer 2 connection between the two cloud data centers. The data center interconnect solution must support control plane MAC learning.

Which Layer 2 data center interconnect model satisfies this requirement?

- A. L3VPN
- B. L2VPN
- C. VPLS
- D. EVPN

Correct Answer: D