



JN0-1361^{Q&As}

Service Provider Design Specialist (JNCDS-SP)

Pass Juniper JN0-1361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-1361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Your company is designing a new data center in a remote location that must be connected to your local data center. You have a service provider connection between the CE devices at each site. You want to implement EVPN with VXLAN services between sites, but the service provider does not offer EVPN services. Which two statements are true in this scenario? (Choose two)

- A. The provider's edge devices must map your VXLAN VNIs to MPLS LSPs within the provider network at each site
- B. The customer's edge devices within your data center can act as VXLAN Layer 2 gateways
- C. You can still implement EVPN service across the service provider as long as there is IP reachability between the sites.
- D. The service provider must provide an MPLS-based VPN connection between sites

Correct Answer: BC

QUESTION 2

You are asked to design a DDoS prevention system to help mitigate denial-of-service attacks that target your customers. The management group wants to know the effect FlowSpec may have on current network operations if it is implemented as a solution. In this scenario which two statements are correct? (Choose two)

- A. FlowSpec can block traffic based on stateful flow information.
- B. FlowSpec can block traffic based on the source address.
- C. FlowSpec requires Jflow implementation and licensing.
- D. FlowSpec can block traffic based on the destination address.

Correct Answer: BD

QUESTION 3

Your company is considering how to add more visibility in their WAN MPLS links. Which Juniper Networks product provides this type of traffic management?

- A. Contrail
- B. AppFormix
- C. JSA Series
- D. NorthStar

Correct Answer: D



QUESTION 4

You work for a service provider and are designing an L3VPN with Internet access solution for a customer using Provider Independent (PI) IPv6 space.

Which networking designs will work for this customer?

- A. Use NAT64 to convert PI space to your public IPv6 space set up 6VPE routing instances on your PE routers for the customer
- B. Use NAT64 to convert PI space to IPv4 internet addresses, set up 6VPE routing instances on your PE routers for the customer.
- C. Use NAT66 to convert PI space to your public IPv6 space set up 6PE on your PE routers to transport IPv6 traffic natively.
- D. Use NAT64 to convert PI space to IPv4 Internet addresses set up 6PE on your PE routers to transport IPv4 traffic natively.

Correct Answer: B

QUESTION 5

You are asked to improve the convergence time in your large enterprise WAN Each branch office network is multihomed to two central aggregation points using BGP.

Which action would satisfy the requirement?

- A. Provision more WAN bandwidth.
- B. Increase interface hold timers.
- C. Decrease interface hold timers.
- D. Use Bidirectional Forwarding Detection.

Correct Answer: D

[JN0-1361 Practice Test](#)

[JN0-1361 Exam Questions](#)

[JN0-1361 Braindumps](#)