



JN0-250^{Q&As}

Mist AI, Associate (JNCIA-MistAI)

Pass Juniper JN0-250 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-250.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is the base subscription required to get started with a Mist access point?

- A. Wi-Fi Management and Assurance
- B. Virtual Network Assistant
- C. Premium Analytics
- D. Mist Edge

Correct Answer: A

QUESTION 2

Users are complaining about WLAN performance and the Mist dashboard reports non-Wi-Fi interference.

Which diagnostics tool would you use to further investigate this issue on-site and determine the location of the interference?

- A. spectrum analyzer
- B. protocol analyzer
- C. wireless design software
- D. WLAN scanner

Correct Answer: A

QUESTION 3

How should a Mist AP43 be mounted?

- A. mounted vertically above ceilings
- B. mounted horizontally on a ceiling
- C. mounted horizontally on a table
- D. mounted vertically on a wall

Correct Answer: D

QUESTION 4

When designing for a multiple frequency deployment (5 GHz and 2.4 GHz), which statement is correct?



- A. The coverage of the multiple bands at the same power will be identical.
- B. 5 GHz is a higher frequency and so will travel further and penetrate walls better.
- C. 5 GHz should generally be used for planning.
- D. 802. 11ac is available in both frequency bands so the design frequency is not important.

Correct Answer: B

QUESTION 5

What are two requirements to connect an AP to the Mist Cloud? (Choose two.)

- A. You need a CA SSL certificate.
- B. You need DNS resolution.
- C. You need a static IP address.
- D. You need a DHCP server

Correct Answer: BC

[JN0-250 VCE Dumps](#)

[JN0-250 Practice Test](#)

[JN0-250 Braindumps](#)