



JN0-333^{Q&As}

Security, Specialist (JNCIS-SEC)

Pass Juniper JN0-333 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-333.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In a chassis cluster, which two characteristics are true regarding reth interfaces? (Choose two.)

- A. A reth interface inherits its failover properties from a redundancy group.
- B. Reth interfaces must be the same type of interface.
- C. Reth interfaces must be in the same slots on each node.
- D. A reth interface goes down if one of its child interfaces become unavailable.

Correct Answer: AB

QUESTION 2

What are two supported hypervisors for hosting a vSRX? (Choose two.)

- A. VMware ESXi
- B. Solaris Zones
- C. KVM
- D. Docker

Correct Answer: AC

QUESTION 3

Click the Exhibit button.



```
[edit]
user@host# show security policies
from-zone red to-zone blue {
    policy deny-http {
        match {
            source-address any;
            destination-address any;
            application junos-https;
        }
        then {
            deny;
        }
    }
}
from-zone red to-zone blue{
    policy default-permit {
        match {
            source-address any;
            destination-address any;
            application any;
        }
        then {
            permit;
        }
    }
}

[edit]
user@host# run show security flow status
Flow forwarding mode:
Inet forwarding mode: packet based (reboot needed to change to flow based)
Inet6 forwarding mode: drop
MPLS forwarding mode: drop
ISO forwarding mode: drop
Flow trace status
Flow tracing status: off
Flow session distribution
Distribution mode: RR-based
Flow ipsec performance acceleration: off
Flow packet ordering
Ordering mode: Hardware
```

You notice that your SRX Series device is not blocking HTTP traffic as expected. Referring to the exhibit, what should you do to solve the problem?

- A. Commit the configuration.
- B. Reboot the SRX Series device.
- C. Configure the SRX Series device to operate in packet-based mode.
- D. Move the deny-http policy to the bottom of the policy list.

Correct Answer: B



QUESTION 4

Which UDP port is used in Ipsec tunneling when NAT-T is in use?

- A. 50
- B. 4500
- C. 500
- D. 51

Correct Answer: B

QUESTION 5

Your network includes IPsec tunnels. One IPsec tunnel transits an SRX Series device with NAT configured. You must ensure that the IPsec tunnels function properly.

Which statement is correct in this scenario?

- A. Persistent NAT should be enabled.
- B. NAT-T should be enabled.
- C. Destination NAT should be configured.
- D. A source address pool should be configured.

Correct Answer: B

[JN0-333 PDF Dumps](#)

[JN0-333 Practice Test](#)

[JN0-333 Study Guide](#)