



# JN0-334<sup>Q&As</sup>

Security-Specialist (JNCIS-SEC)

**Pass Juniper JN0-334 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-334.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What is the maximum number of supported interfaces on a vSRX hosted in a VMware environment?

- A. 4
- B. 10
- C. 3
- D. 12

Correct Answer: B

---

### QUESTION 2

Which two session parameters would be used to manage space on the session table? (Choose two.)

- A. low watermark
- B. high watermark
- C. TCP MSS
- D. TCP RST

Correct Answer: AB

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-flow-basedsession-for-srx-series-devices.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-flow-basedsession-for-srx-series-devices.html)

---

### QUESTION 3

What are two management methods for cSRX? (Choose two.)

- A. Network Director
- B. J-Web
- C. CLI
- D. Contrail

Correct Answer: BC

---



#### QUESTION 4

Which two functions are performed by Juniper Identity Management Service (JIMS)? (Choose two.)

- A. JIMS synchronizes Active Directory authentication information between a primary and secondary JIMS server.
- B. JIMS forwards Active Directory authentication information to SRX Series client devices.
- C. JIMS collects and maintains a database of authentication information from Active Directory domains.
- D. JIMS replicates Active Directory authentication information to non-trusted Active Directory domain controllers.

Correct Answer: AC

---

#### QUESTION 5

You are using the JIMS Administrator user interface to add multiple SRX client devices. You must share common configuration attributes across the SRX clients without having to re-enter those attributes for each SRX client instance.

Which JIMS Administrator feature would be used to accomplish this task?

- A. JIMS automation
- B. JIMS templates
- C. JIMS client profiles
- D. JIMS client defaults

Correct Answer: B