



JN0-334^{Q&As}

Security-Specialist (JNCIS-SEC)

Pass Juniper JN0-334 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-334.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.



```
user@srx> show log messages | match RT_FLOW_SESSION
Jun 3 00:36:41 vSRX-1 RT_FLOW: RT_FLOW_SESSION_CREATE: session created
172.18.2.1/
57929->10.10.101.10/21 0x0 junos-ftp 172.18.2.1/57929->10.10.101.10/21 0x0 N/A
N/A N/A N/A 6 untrust-to-trust(global) untrust trust 19307 N/A(N/A) ge-0/0/3.0
UNKNOWN UNKNOWN UNKNOWN N/A N/A -1
```

The output shown in the exhibit is displayed in which format?

- A. syslog
- B. sd-syslog
- C. binary
- D. WELF

Correct Answer: A

QUESTION 2

When referencing a SSL proxy profile in a security policy, which two statements are correct? (Choose two.)

- A. A security policy can reference both a client-protection SSL proxy profile and a server-protection proxy profile.
- B. If you apply an SSL proxy profile to a security policy and forget to apply any Layer7 services to the security policy,



any encrypted traffic that matches the security policy is not decrypted.

C. A security policy can only reference a client-protection SSL proxy profile or a server-protection SSL proxy profile.

D. If you apply an SSL proxy profile to a security policy and forget to apply any Layer7 services to the security policy, any encrypted traffic that matches the security policy is decrypted.

Correct Answer: AD

QUESTION 3

You are using the JIMS Administrator user interface to add multiple SRX client devices. You must share common configuration attributes across the SRX clients without having to re-enter those attributes for each SRX client instance.

Which JIMS Administrator feature would be used to accomplish this task?

A. JIMS automation

B. JIMS templates

C. JIMS client profiles

D. JIMS client defaults

Correct Answer: B

QUESTION 4

Which two statements describe SSL proxy on SRX Series devices? (Choose two.)

A. SSL proxy supports TLS version 1.2.

B. Client-protection is also known as reverse proxy.

C. SSL proxy is supported when enabled within logical systems.

D. SSL proxy relies on Active Directory to provide secure communication.

Correct Answer: AC

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-user-auth-ssltls.html

QUESTION 5

Which statement about the control link in a chassis cluster is correct?

A. A cluster can have redundant control links.



- B. Recovering from a control link failure requires a reboot.
- C. The control link heartbeats contain the configuration file of the nodes.
- D. The control messages sent over the link are encrypted by default.

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-chassis-clusterdual-control-links.html

[Latest JN0-334 Dumps](#)

[JN0-334 VCE Dumps](#)

[JN0-334 Study Guide](#)