



JN0-347^{Q&As}

Enterprise Routing and Switching, Specialist (JNCIS-ENT)

Pass Juniper JN0-347 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-347.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1


Which statement describes optional transitive BGP attributes?

- A. They must be supported in all BGP implementations, but do not have to be included in every BGP update.
- B. If they are not recognized, they are ignored and not passed to other peers.
- C. They must be supported by all BGP implementations and must be included in every BGP update.
- D. Although not required, they should be passed along, unchanged to other BGP peers when included.

Correct Answer: D

QUESTION 2

Click the Exhibit button.



Route	MED	Origin Code	Local Preference
A	10	I	50
B	0	?	150
C	20	E	100
D	10	I	150

A routing table contains multiple BGP routes to the same destination prefix. The route preference is the same for each route.

Referring to the exhibit, which route would be selected?

- A. route B
- B. route D
- C. route A
- D. route C

Correct Answer: B



QUESTION 3

What is the default route preference for BGP?

- A. 167
- B. 170
- C. 150
- D. 179

Correct Answer: B

BGP has the default preference .

QUESTION 4

Which LSA type describes the router ID of ASBR routers located in remote areas?

- A. Type 4
- B. Type 5
- C. Type 3
- D. Type 7

Correct Answer: A

QUESTION 5

Click the Exhibit button. Based on the output shown in the exhibit, which statement is correct?



Exhibit

```
(master:0)
```

```
user@switch> show spanning-tree interface
```

Spanning tree interface parameters for instance 0

Interface Port	Port ID State	Designated Role port ID	Designated bridge ID
Cost			
ge-0/0/8.0	128:521	128:521	
8192.50c58daedb41		200 FWD	DESG
ge-0/0/9.0	64:522	64:522	
8192.50c58daedb41		2000 FWD	DESG
ge-0/0/14.0	240:527	240:527	
8192.50c58daedb41		20000 FWD	DESG
ge-0/0/15.0	128:528	128:528	
8192.50c58daedb41		200000 FWD	DESG

- A. The ge-0/0/9 interface is using the default priority value.
- B. The ge-0/0/15 interface is using the default port cost.
- C. This switch has a bridge priority k.
- D. This switch has been elected as the root bridge.

Correct Answer: B

The default port cost for a 100 Mbit/s interface is 200,000, which is the port cost of the ge-0/0/15 interface. Note: Data rate and default STP path cost

Data rate	STP cost (802.1D-1998)	RSTP cost (802.1W-2004, default value)
100 Mbit/s	19	200 000
1 Gbit/s	4	20 000
2 Gbit/s	3	10 000
10 Gbit/s	2	2 000