



JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.



Referring to the exhibit, which two statements about BGP prefixes advertised by R1 to AS 65501 are true? (Choose two.)

- A. R1 will modify the originator ID attribute in prefixes advertised to AS 65501
- B. R1 will modify the AS path attribute in prefixes advertised to AS 65501
- C. R1 will modify the next-hop attribute in prefixes advertised to AS 65501
- D. R1 will modify the cluster list attribute in prefixes advertised to AS 65501

Correct Answer: AC

QUESTION 2

What are two benefits of 802.3ad link aggregation? (Choose two.)

- A. It increases bandwidth.
- B. It ensures symmetrical paths.
- C. It simplifies interface configuration.
- D. It creates physical layer redundancy.

Correct Answer: AD



QUESTION 3

Which Junos feature allows you to combine multiple interfaces into a single bundle?

- A. VRRP
- B. Virtual Chassis
- C. LAG
- D. NSB

Correct Answer: C

QUESTION 4

Click the Exhibit button.



```
[edit protocols bgp]
user@router# show
preference 150;
keep all;
mtu-discovery;
export static-1;
remove-private;
tcp-mss 4096;
group one {
    export static-2;
    peer-as 2;
    neighbor 10.1.0.1 {
        export static-3;
    }
}
group two {
    type internal;
    local-address 192.168.1.11;
    export static-4;
    local-as 1;
    neighbor 192.168.1.12;
    neighbor 192.168.1.13
}
```

Referring to the exhibit, which policy will export routes to IBGP peers?

- A. static-3
- B. static-4
- C. static-1
- D. static-2

Correct Answer: B



QUESTION 5

Click the Exhibit button.

[edit]

```
user@router# run show route protocol aggregate
```

```
inet.0: 9 destinations, 10 routes (9 active, 0 holddown, 0 hidden)
```

```
+ = Active Route, - = Last Active, * = Both
```

```
172.12.16.0/20          *[Aggregate/130] 00:00:32
```

```
Discard
```

Given the route shown in the exhibit, which two prefixes contribute to the aggregate route? (Choose two.)

- A. 172.12.31.0/24
- B. 172.12.33.0/24
- C. 172.12.30.0/24
- D. 172.12.32.0/24

Correct Answer: AC

[JN0-348 PDF Dumps](#)

[JN0-348 Practice Test](#)

[JN0-348 Braindumps](#)