



JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
[edit protocols bgp]
user@router# show
import add-community;
export next-hop-self;
group ISPs {
    type external;
    import local-pref;
    export adv-aggregate;
    neighbor 172.30.1.1 {
        peer-as 65100;
    }
    neighbor 172.30.2.1 {
        export adv-custom;
        peer-as 65200;
    }
}
group Internal-Peers {
    type internal;
    neighbor 192.168.110.10;
    neighbor 192.168.110.20;
}
```

Which statement is true about the configuration shown in the exhibit?

- A. Only the local-pref import policy will be evaluated when routes are learned from neighbor 172.30.1.1
- B. Only the add-community import policy will be evaluated when routes are learned from neighbor 172.30.1.1
- C. No import policy will be evaluated when routes are learned from neighbor 172.30.2.1



D. Both the add-community and local-pref import policies will be evaluated when routes are learned from neighbor 172.30.2.1

Correct Answer: D

QUESTION 2

Click the Exhibit button.

```
user@host> show route hidden detail
inet.0: 25 destinations, 26 routes (24 active, 0 holddown, 1 hidden)
Restart Complete
127.0.0.1/32 (1 entry, 0 announced)
    Direct Preference: 0
    Next hop type: Interface
    Next-hop reference count: 1
    Next hop: via lo0.0, selected
    State: <Hidden Martian Int>
    Local AS:      1
    Age: 4:27:37
    Task: IF
    AS path: I

private1__inet.0: 2 destinations, 3 routes (2 active, 0 holddown, 0 hidden)

red.inet.0: 6 destinations, 8 routes (4 active, 0 holddown, 3 hidden)
Restart Complete

10.5.5.5/32 (1 entry, 0 announced)
    BGP      Preference: 170/-101
    Route Distinguisher: 10.4.4.4:4
    Next hop type: Unusable
    Next-hop reference count: 6
    State: <Secondary Hidden Int Ext>
    Local AS:      1 Peer AS:      1
    Age: 3:45:09
    Task: BGP_1.10.4.4.4+2493
    AS path: 100 I
    Communities: target:1:999
    VPN Label: 100064
    Localpref: 100
    Router ID: 10.4.4.4
    Primary Routing Table bgp.13vpn.0
```

Referring to the exhibit, why is the route for 10.5.5.5 hidden?

A. It is a martian route.



- B. It has an invalid community.
- C. It is an L3VPN route.
- D. The next hop cannot be resolved.

Correct Answer: D

QUESTION 3

Which statement is true about Layer 2 firewall filters on EX Series switches?

- A. They are stateful and evaluated by the forwarding plane.
- B. They are stateless and evaluated by the control plane.
- C. They are stateful and evaluated by the control plane.
- D. They are stateless and evaluated by the forwarding plane.

Correct Answer: D

QUESTION 4

Click the Exhibit button.

```
user@host> show route 0/0 exact detail
inet.0: 14 destinations, 14 routes (14 active, 0 holddown, 0 hidden)
0.0.0.0/0 (1 entry, 1 announced)
    *Aggregate Preference: 130
        Next hop type: Router, Next hop index: 546
        Next-hop reference count: 4
Next hop: 172.30.25.1 via ge-0/0/1.100, selected
State: <Active Int Ext>
Local AS: 65400
Age: 1:03:46
Task: Aggregate
Announcement bits (2): 0-KRT 2-OSPF
AS path: I
Flags: Generate Depth: 0 Active
Contributing Routes (1):
10.0.0.0/16 proto BGP
```

Referring to the output shown in the exhibit, which two statements are true?

- A. The route is active



- B. The route is not active
- C. The route is a generate route
- D. The route is an aggregate route

Correct Answer: AC

QUESTION 5

Your network is configured with dynamic ARP inspection (DAI) using the default parameters for all the DHCP and ARP related configurations. You just added a new device connected to a trunk port and configured it to obtain an IP address using DHCP.

Which two statements are correct in this scenario? (Choose two.)

- A. The DHCP server assigns the IP addressing information to the new device.
- B. DAI validates the ARP packets for the new device against the DHCP snooping database.
- C. The ARP request and response packets for the new device will bypass DAI.
- D. DHCP snooping adds the DHCP assigned IP address for the new device to its database.

Correct Answer: AB

[Latest JN0-348 Dumps](#)

[JN0-348 VCE Dumps](#)

[JN0-348 Study Guide](#)