



JN0-348^{Q&As}

Enterprise Routing and Switching, Specialist

Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-348.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three mechanisms are associated with the bridging process? (Choose three.)

- A. blocking
- B. flooding
- C. aging
- D. filtering
- E. listening

Correct Answer: BCD

QUESTION 2


Which two statements are correct regarding the root bridge election process when using STP? (Choose two.)

- A. A lower system MAC address is preferred.
- B. A higher bridge priority is preferred.
- C. A lower bridge priority is preferred.
- D. A higher system MAC address is preferred.

Correct Answer: AC

QUESTION 3

Click the Exhibit button.



You manage the Layer 2 network shown in the exhibit. You experience a failure on the ge-0/0/0 link between Switch-1 and Switch-2.

Which statement is correct about the expected behavior?

- A. Switch-2 will remove itself from the RSTP topology
- B. Switch-2's ge-0/0/2 port role and state will transition to root and forwarding
- C. Switch-2 will become the root bridge for a separate RSTP topology
- D. Switch-2's ge-0/0/2 port role and state will remain as designated and forwarding

Correct Answer: B

QUESTION 4

Click the Exhibit button.



```
user@switch> show interfaces ae0
error: device ae0 not found

user@switch> show configuration
...
chassis {
    nssu;
}
interfaces {
    ge-0/0/3 {
        ether-options {
            802.3ad ae0;
        }
    }
    ge-1/0/4 {
        ether-options {
            802.3ad ae0;
        }
    }
}
ae0 {
    unit 0 {
        family ethernet-switching {
            vlan {
                members default;
            }
        }
    }
}
}
vlans {
    default {
        vlan-id 1;
    }
}
}
```

Referring to the exhibit, what is the problem?

- A. The LAG member interfaces are configured across different line cards
- B. LAG requires more than two member links
- C. LACP is required for LAG to work
- D. Aggregated interfaces must be defined under the chassis stanza

Correct Answer: D



QUESTION 5

In which two STP states is a port active and a MAC address learned? (Choose two.)

- A. blocking
- B. forwarding
- C. disabled
- D. learning

Correct Answer: BD

[Latest JN0-348 Dumps](#)

[JN0-348 Exam Questions](#)

[JN0-348 Braindumps](#)