JN0-349^{Q&As}

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/jn0-349.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

QUESTION 1

The next hop for the route is not reachable.

In this scenario, what are two ways that BGP handles this route? (Choose two.)

A. The route is placed into the forwarding table as an inactive route.

B. The route is not placed into the forwarding table.

C. The route is placed into the routing table as a hidden route.

D. The route is placed into the forwarding table as a hidden route.

Correct Answer: BC

QUESTION 2

Click the Exhibit button.

```
default {
     vlan-id 1;
}
v14  {
     vlan-id 14;
     l3-interface irb.14;
}
v15  {
     vlan-id 15;
     l3-interface irb.15;
}
v16  {
     vlan-id 16;
     l3-interface irb.16;
}
```

Referring to the exhibit, the IRB interfaces are configured with which family?

A. irb

B. ethernet-switching

C. inet

D. l3-interface

Correct Answer: C

QUESTION 3

Which protocol supports tunneling of non-IP traffic?

A. GRE

B. SSH

C. IPsec

D. IP-IP

Correct Answer: A

QUESTION 4

Click the Exhibit button.

```
{master:0}
user@switch> show spanning-tree bridge
STP bridge parameters
Context ID                              : 0
Enabled protocol                        : RSTP
    Root ID                             : 8192.50:c5:8d:ae:db:41
    Root cost                           : 40000
    Root port                           : ge-0/0/14.0
    Hello time                          : 2 seconds
    Maximum age                         : 40 seconds
    Forward delay                       : 30 seconds
    Message age                         : 4
    Number of topology changes          : 1
    Time since last topology changes    : 64 seconds
    Topology change initiator           : ge-0/0/14.0
    Topology change last recvd. from    : 2c:6b:f5:31:06:0e
    Local parameters
        Bridge ID                       : 32768.50:c5:8d:ae:bd:41
        Extended system ID              : 0
        Internal instance ID            : 0
```

Referring to the exhibit, which statement is correct?

A. The device is the root bridge?

B. The spanning tree session has timed out.

C. The local bridge priority is set to 8k.

D. The bridge priority on the root device is set to 8k.

Correct Answer: D

QUESTION 5

Which mechanism is used to share routes between routing tables?

A. RIB groups

B. routing instances

C. forwarding instances

D. filter-based forwarding

Correct Answer: A

[Latest JN0-349 Dumps](link)   [JN0-349 PDF Dumps](link)   [JN0-349 VCE Dumps](link)