



JN0-349^{Q&As}

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-349.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What are three valid BGP message types? (Choose three.)

- A. refresh
- B. hello
- C. database descriptor
- D. keepalive
- E. update

Correct Answer: ADE

QUESTION 2

Click the Exhibit button.

---- Exhibit Missing ---

Referring to the exhibit, which type of route is displayed?

- A. martian
- B. static
- C. generate
- D. aggregate

Correct Answer: C

QUESTION 3

What is a characteristic of OSPF ASBRs?

- A. ASBRs transmit routing information between the backbone and other areas.
- B. ASBRs cannot be part of the backbone and another area at the same time.
- C. ASBRs inject routing information from outside the OSPF domain.
- D. ASBRs link two OSPF areas.

Correct Answer: C



QUESTION 4

Which two statements about the default load-balancing behavior for the Junos OS are correct? (Choose two.)

- A. By default, the Junos OS performs a per-packet load-balancing operation.
- B. By default, the Junos OS installs multiple equal-cost next hops in the forwarding table for a destination prefix.
- C. By default, the Junos OS selects one of the equal-cost next hops for received destination prefixes.
- D. By default, all Packet Forwarding Engine slots are assigned the same hash value on the Junos device.

Correct Answer: CD

QUESTION 5

The router ID is not configured.

How does OSPFv3 determine the router ID in this situation?

- A. OSPFv3 uses the IPv4 address of the first interface that comes up.
- B. OSPFv3 uses the IPv6 address of the last interface that comes up.
- C. OSPFv3 uses the IPv6 address of the first interface that comes up.
- D. OSPFv3 uses the IPv4 address of the last interface that comes up.

Correct Answer: A

[Latest JN0-349 Dumps](#)

[JN0-349 PDF Dumps](#)

[JN0-349 Braindumps](#)