



# JN0-349<sup>Q&As</sup>

Enterprise Routing and Switching - Specialist (JNCIS-ENT)

## Pass Juniper JN0-349 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-349.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which two statements about the root bridge election process are correct? (Choose two.)

- A. The highest root bridge priority is preferred over lower root bridge priorities.
- B. The highest root bridge identifier is preferred over lower root bridge identifiers.
- C. The lowest root bridge priority is preferred over higher root bridge priorities.
- D. The lowest root bridge identifier is preferred over higher root bridge identifiers.

Correct Answer: CD

---

#### QUESTION 2

What are three requirements to ensure proper GRE or IP-IP tunnel routing? (Choose three.)

- A. Keepalives must be used on stateless tunneling protocols.
- B. Tunnel endpoints must have a route that directs traffic into the tunnel.
- C. BGP must be used on intermediate devices.
- D. Tunnel endpoints must have a valid route to the remote endpoint.
- E. All intermediary devices must have a route to the tunnel endpoints.

Correct Answer: BCD

---

#### QUESTION 3

The next hop for the route is not reachable.

In this scenario, what are two ways that BGP handles this route? (Choose two.)

- A. The route is placed into the forwarding table as an inactive route.
- B. The route is not placed into the forwarding table.
- C. The route is placed into the routing table as a hidden route.
- D. The route is placed into the forwarding table as a hidden route.

Correct Answer: BC

---

#### QUESTION 4

Exhibit.



## Exhibit



```
user@host> show route hidden detail
inet.0: 25 destinations, 26 routes (24 active, 0 holddown, 1
hidden)
Restart Complete
127.0.0.1/32 (1 entry, 0 announced)
    Direct Preference: 0
        Next hop type: Interface
        Next-hop reference count: 1
        Next hop: via lo0.0, selected
        State: <Hidden Martian Int>
        Local AS:      1
        Age: 4:27:37
        Task: IF
        AS path: I

privatel__inet.0: 2 destinations, 3 routes (2 active, 0
holddown, 0 hidden)

red.inet.0: 6 destinations, 8 routes (4 active, 0 holddown, 3
hidden)
Restart Complete

10.5.5.5/32 (1 entry, 0 announced)
    BGP    Preference: 170/-101
        Route Distinguisher: 10.4.4.4:4
        Next hop type: Unusable
        Next-hop reference count: 6
        State: <Secondary Hidden Int Ext>
        Local AS:      1 Peer AS:      1
        Age: 3:45:09
        Task: BGP_1.10.4.4.4+2493
        AS path: 100 I
        Communities: target:1:999
        VPN Label: 100064
        Localpref: 100
        Router ID: 10.4.4.4
        Primary Routing Table bgp.13vpn.0
```



Referring to the exhibit, why is the route for 10.5.5.5 hidden?

- A. It is an L3VPN route.
- B. The next hop cannot be resolved.
- C. It has an invalid community.
- D. It is a Martian route.

Correct Answer: B

---

#### QUESTION 5

Which two statements about RSTP are correct? (Choose two.)

- A. RSTP is backward compatible with STP.
- B. RSTP permits multiple root bridges within a Layer 2 domain.
- C. RSTP permits only a single root bridge within a Layer 2 domain.
- D. RSTP is not backward compatible with STP.

Correct Answer: AC

[Latest JN0-349 Dumps](#)

[JN0-349 Study Guide](#)

[JN0-349 Exam Questions](#)