



# JN0-351<sup>Q&As</sup>

Enterprise Routing and Switching Specialist (JNCIS-ENT)

## Pass Juniper JN0-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-351.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Exhibit.



You are attempting to set up VRRP with R1 and R2 being participating members. You want R1 to be the master router



and R2 to be the backup router with the virtual router they create being at address 172.25.100.1. The virtual router is not pinging from either User A or User B.

Referring to the exhibit, what must be done to correct the problem?

- A. The VRRP group value on R1 and R2 must match.
- B. A VRRP authentication type value is needed on R1 and R2.
- C. A VRRP policy is needed on R1 and R2.
- D. The VRRP priority value on R1 and R2 must match

Correct Answer: A

[https://www.juniper.net/documentation/en\\_US/junos/topics/reference/configuration-statement/priority-edit-interfaces-vrrp.html](https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/priority-edit-interfaces-vrrp.html)

---

## QUESTION 2

What are three types of port designation specific to Private VLANs? (Choose three.)

- A. Promiscuous ports
- B. Transparent ports
- C. PVLAN trunk ports
- D. Designated ports
- E. Isolated ports

Correct Answer: ACE

---

## QUESTION 3

Which two statements are true about high availability on Junos devices? (Choose two.)

- A. BFD is faster at detecting failures than default GRE or OSPF timers.
- B. NSR is independent of helper routers to assist the routing platform in restoring routing protocol information.
- C. NSR is dependent on helper routers to assist the routing platform in restoring routing protocol information.
- D. BFD is slower at detecting failures than default GRE or OSPF timers.

Correct Answer: AB

Explanation: [https://www.juniper.net/documentation/en\\_US/junos/topics/concept/nsr-overview.html](https://www.juniper.net/documentation/en_US/junos/topics/concept/nsr-overview.html)

---

## QUESTION 4



What is the default route preference for BGP?

- A. 150
- B. 167
- C. 170
- D. 179

Correct Answer: C

---

#### QUESTION 5

You are asked to configure filter-based forwarding (FBF) to forward traffic sourced from a specific subnet to a webserver.

In this scenario, which mechanism is used to add interface routes to the forwarding routing instance used in FBF?

- A. generated routes
- B. RIB groups
- C. forwarding policy
- D. routing policy

Correct Answer: B

[JN0-351 PDF Dumps](#)

[JN0-351 Study Guide](#)

[JN0-351 Exam Questions](#)