



JN0-361^{Q&As}

Service Provider Routing and Switching, Specialist Exam

Pass Juniper JN0-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
user@host> show bgp neighbor 5.0.0.5
Peer: 5.0.0.5+62303 AS 2          Local: 5.0.0.25+179 AS 3
  Type: External      State: Established      Flags: <ImportEval Sync>
  Last State: OpenConfirm  Last Event: RecvKeepAlive
  Last Error: None
  Options: <Multihop Preference AddressFamily PeerAS LocalAS Rib-group
Refresh>
  Address families configured: inet-unicast inet-vpn-unicast
  Holdtime: 90 Preference: 270 Local AS: 3 Local System AS: 0
  Number of flaps: 0
  Peer ID: 5.0.0.5          Local ID: 5.0.0.25          Active Holdtime: 90
  Keepalive Interval: 30      Peer index: 0
  BFD: disabled, down
  NLRI for restart configured on peer: inet-unicast inet-vpn-unicast
  NLRI advertised by peer: inet-unicast
  NLRI for this session: inet-unicast
  Peer supports Refresh capability (2)
  Stale routes from peer are kept for: 300
  Peer does not support Restarter functionality
  NLRI that restart is negotiated for: inet-unicast
  NLRI of received end-of-rib markers: inet-unicast
  NLRI of all end-of-rib markers sent: inet-unicast
  Peer supports 4 byte AS extension (peer-as 2)
  Peer does not support Addpath
  Table inet.0 Bit: 10001
    RIB State: BGP restart is complete
Number of flaps: 0
Peer ID: 5.0.0.5          Local ID: 5.0.0.25          Active Holdtime: 90
Keepalive Interval: 30      Peer index: 0
BFD: disabled, down
NLRI for restart configured on peer: inet-unicast inet-vpn-unicast
NLRI advertised by peer: inet-unicast
NLRI for this session: inet-unicast
Peer supports Refresh capability (2)
Stale routes from peer are kept for: 300
Peer does not support Restarter functionality
NLRI that restart is negotiated for: inet-unicast
NLRI of received end-of-rib markers: inet-unicast
NLRI of all end-of-rib markers sent: inet-unicast
Peer supports 4 byte AS extension (peer-as 2)
Peer does not support Addpath
Table inet.0 Bit: 10001
  RIB State: BGP restart is complete
  Send state: in sync
  Active prefixes:          0
  Received prefixes:        0
  Accepted prefixes:        0
  Suppressed due to damping: 0
  Advertised prefixes:      0
Last traffic (seconds): Received 5      Sent 5      Checked 5
Input messages: Total 3 Updates 1 Refreshes 0 Octets 130
Output messages: Total 3 Updates 0 Refreshes 0 Octets 130
Output Queue[0]: 0
```

Which two statements are correct according to the output shown in the exhibit? (Choose two.)



- A. The peering session can pass inet-vpn routes.
- B. The peering session is enabled for multihop support.
- C. The peering session uses an altered route preference.
- D. The peering session is enabled for multipath support.

Correct Answer: AB

A: From the exhibit we see:


Address families configured: inet-unicast inet-vpn-unicast

B: From the exhibit we find:

Options:

QUESTION 2

Click the Exhibit button.



In the exhibit, R1 is sending the 172.16.100.0/24 route to R2 through EBGP. R2 has IBGP sessions to R3 and R4, but they are not installing the route. All BGP sessions are established.

Which two actions would enable R3 and R4 to install the route from R2? (Choose 2.)

- A. Advertise the R1-R2 link into the IGP.
- B. Configure the cluster-id parameter under the R2 IBGP group.
- C. Configure a BGP export policy with a next-hop self action on R2.
- D. Configure an IGP export policy with a next-hop self action on R2.

Correct Answer: AC



QUESTION 3

Which two configuration elements are defined under an MSTP instance? (Choose two)

- A. revision-level
- B. bridge-priority
- C. mstp-level
- D. vlan

Correct Answer: BD

The correct answer is B, D because revision-level is common for the all MSTI instances and it is configured one level up from MSTI instance section.

Reference: http://www.juniper.net/techpubs/en_US/junos10.0/information-products/topic-collections/config-guide-mxseries-layer2/mstp-edit-protocols.html

QUESTION 4

What are two ways to prevent Layer 2 loops in a network? (Choose two)

- A. BPDU protection
- B. LDP protection
- C. loop protection
- D. Layer 2 protection

Correct Answer: AC

QUESTION 5

What are three ways to configure IPv6 addresses in your network? (Choose three.)

- A. Statically configure your IPv6 addresses.
- B. Configure your IPv6 addresses using stateless auto configuration.
- C. Configure your IPv6 addresses by setting up a DHCPv6 server.
- D. Configure your IPv6 addresses by assigning your router a prefix list.
- E. Configure your IPv6 addresses by configuring support for unicast-arp-negotiation.

Correct Answer: ABC