



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two high availability features preserve interface and kernel information during reconvergence? (Choose two.)

- A. graceful restart (GR)
- B. nonstop bridging (NSB)
- C. nonstop active routing (NSR)
- D. graceful Routing Engine switchover (GRES)

Correct Answer: CD

QUESTION 2

In a stateless IPv6 auto-configuration scenario, what is the host's IPv6 address if the interface's MAC address is 12:34:ab:cd:ef:56?

- A. fe80::1234:abff:fe56:ef56/64
- B. fe8::1234:abff:fe56:ef56/64
- C. fec0::1234:abff:fe56:ef56/64
- D. fe80::1234:abcd:ef56/64

Correct Answer: D

QUESTION 3

Click the Exhibit button.



```
[edit interfaces]
user@router# show
ge-0/0/0 {
    unit 0 {
        family inet {
            address 10.1.1.5/31;
        }
        family mpls;
    }
}
ge-0/0/1 {
    unit 0 {
        family inet {
            address 10.1.1.21/31;
        }
        family mpls;
    }
}
lo0 {
    unit 0 {
        family inet {
            address 192.168.0.2/32;
        }
    }
}
```

```
[edit protocols bgp group BGP]
user@router# show
multihop;
local-address 192.168.0.2;
hold-time 30;
family inet {
    unicast;
}
family inet-vpn {
    unicast;
}
family inet6 {
    unicast;
}
family inet6-vpn {
    unicast;
}
family 12vpn {
    signaling;
}
family route-target;
peer-as 65514;
local-as 65514;
neighbor 192.168.0.1;
```



Referring to the exhibit, which two statements are true? (Choose two.)

- A. The configuration is for an external BGP session
- B. The local-address statement is required for the BGP session to establish correctly
- C. The multi-hop statement is required for the BGP session to establish correctly
- D. The configuration is for an internal BGP session

Correct Answer: BD

QUESTION 4

Which MPLS feature works with Constrained Shortest Path First (CSPF) to protect against the primary and secondary paths using the same link?

- A. fate-sharing
- B. explicit null configuration
- C. policy control over LSP selection
- D. LSP metrics

Correct Answer: A


QUESTION 5

Click the Exhibit button.



```
[edit]
user@R1# show interfaces
ge-0/0/0 {
  unit 0 {
    family inet6 {
      address 2001:0:0:1::2/64;
    }
  }
}
gr-0/0/0 {
  unit 0 {
    tunnel {
      source 192.168.1.1;
      destination 192.168.1.2;
    }
  }
}
ge-0/0/1 {
  unit 0 {
    family inet {
      address 192.168.100.1/24;
    }
  }
}
fxp0 {
  unit 0 {
    family inet {
      address 10.0.1.12/24;
    }
  }
}
```

```
[edit]
user@R1# show routing-options
rib inet6.0 {
  static {
    route 2001:0:0:2::0/64 next-hop gr-0/0/0.0;
  }
}
static {
  route 0.0.0.0/0 next-hop 10.0.1.1;
  route 192.168.1.2/32 next-hop 192.168.100.2;
}
```



You have configured IPv6 over IPv4 tunneling, as shown in the exhibit. However, hosts connected to network 2001:0:0:1::0/64 cannot communicate with hosts on network 2001:0:0:2::0/64. The router R2 has a similar configuration as the R1 router.

How would you solve this problem?

- A. Configure an IGP across the tunnel interfaces
- B. Configure an IPv6 address on the tunnel interfaces
- C. Configure the next hop of the inet6.0 static route to point to the physical interface between the routers
- D. Configure the next hop of the inet6.0 static route to point to the IPv4 address of the remote router

Correct Answer: D

[JN0-362 VCE Dumps](#)

[JN0-362 Practice Test](#)

[JN0-362 Study Guide](#)