



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You must establish an MPLS LSP between two locations. You are required to ensure that the LSP traverses specific routers within the network.

Which solution is correct in this scenario?

- A. Enable traffic engineering within RSVP and enable the Fast Reroute feature
- B. Implement RSVP and define the explicit route the LSP must follow
- C. Implement LDP and define the explicit route the LSP must follow
- D. Enable traffic engineering within LDP and define the explicit route the LSP must follow

Correct Answer: B

QUESTION 2

Click the Exhibit button.



```
[edit interfaces ge-0/0/3]
user@router# show
unit 0 {
    family inet {
        address 10.1.1.29/31;
    }
}
```

```
[edit protocols bgp group BGP]
user@router# show
multihop;
accept-remote-nexthop;
local-address 10.1.1.29;
advertise-inactive;
damping;
family inet {
    unicast;
}
family inet-vpn {
    unicast;
}
peer-as 65511;
local-as 65514;
multipath;
allow 10.100.100.0/24;
neighbor 10.1.1.28;
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The configuration is for an external BGP session
- B. The local-address statement is not required for the BGP session to establish correctly
- C. The configuration is for an internal BGP session
- D. The local-address statement is required for the BGP session to establish correctly

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/local-address-edit-protocols-bgp.html

QUESTION 3



Click the Exhibit button.

```
[edit routing-options]
user@router# show
generate {
    defaults {
        preference 5;
    }
    route 0.0.0.0/0 policy ISP-NET;
}

[edit]
user@router# show policy-options
policy-statement ISP-NET {
    term 1 {
        from protocol bgp;
        then accept;
    }
    term 2 {
        then reject;
    }
}
```

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The router will install the 0.0.0.0/0 route into the routing table when no BGP prefixes are present
- B. The router will remove the 0.0.0.0/0 route from the routing table when no BGP prefixes are present
- C. The router will remove the 0.0.0.0/0 route from the routing table when any BGP prefixes are present
- D. The router will install the 0.0.0.0/0 route into the routing table when any BGP prefixes are present

Correct Answer: BD

QUESTION 4

Which two statements are true for GRE tunneling? (Choose two.)

- A. GRE tunnel endpoints must have a valid route to the remote endpoint
- B. GRE tunnels support multiple logical units per interface
- C. GRE tunnels are stateful by default
- D. GRE tunnels support only one logical unit per interface

Correct Answer: AB



Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/filtering-unicast-packetsmulticast-tunnel-interfaces.html#id-configuring-unicast-tunnels

QUESTION 5

Click the Exhibit button.

```
[edit protocols]
  'bgp'
Error in neighbor 192.168.1.2 of group my-int-group:
peer AS number must be configured for an external peer
error: configuration check-out failed
```

You are configuring an IBGP group. When you commit your configuration, you receive the error shown in the exhibit.

Which additional configuration parameter must you add to your configuration?

- A. multipath
- B. type external
- C. type internal
- D. export

Correct Answer: C

[JN0-362 PDF Dumps](#)

[JN0-362 VCE Dumps](#)

[JN0-362 Study Guide](#)