



JN0-362^{Q&As}

Service Provider Routing and Switching - Specialist (JNCIS-SP)

Pass Juniper JN0-362 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-362.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```
user@router> show bgp neighbor 10.1.254.1
Peer: 10.1.254.1 AS 100          Local: 10.1.254.2 AS 65000
  Type: External      State: Active      Flags: <>
  Last State: Idle      Last Event: Start
  Last Error: Open Message Error
  Export: [ ebgp-export ]
  Options: <Preference AddressFamily PeerAs Refresh>
  Address families configured: inet-unicast inet6-unicast
  Holdtime: 90 Preference: 170
  Number of flaps: 15
  Last flap event: RecvNotify
  Error: 'Open Message Error' Sent: 6 Recv: 0
  Error: 'Cease' Sent: 13 Recv: 2

user@router> show log messages | match "open message"
Sep 19 00:07:31 R1 rpd[1325]: bgp_pp_rcv:3124: NOTIFICATION sent to 10.1.254.1+52788 (proto):
code 2 (Open Message Error) subcode 2 (bad peer AS number), Reason: no group for
10.1.254.1+52788 (proto) from AS 1000 found (peer as mismatch), dropping him
...
```

You are troubleshooting a new BGP peering session which is not establishing. Referring to the exhibit, which statement is true?

- A. The update messages contain an unsupported option
- B. The neighbor does not support IPv6
- C. The peer's AS number is misconfigured
- D. The TCP session is not establishing

Correct Answer: C

QUESTION 2

Click the Exhibit button.



```
[edit protocols ospf]
user@router# show
reference-bandwidth 10g;
area 0.0.0.0 {
    interface ge-1/0/0.0 {
        priority 255;
    }
    interface ge-3/0/0.0 {
        priority 128;
    }
    interface xe-0/0/0.0 {
        interface-type nbma;
    }
}
```

Referring to the exhibit, which statement is correct?

- A. Interface xe-0/0/0.0 has a default metric of 10
- B. Interface ge-3/0/0.0 has a default metric of 10
- C. Interface ge-1/0/0.0 can only form a single adjacency
- D. Interface xe-0/0/0.0 can only form a single adjacency

Correct Answer: B

QUESTION 3

Click the Exhibit button.



```
[edit interfaces ge-0/0/3]
user@router# show
unit 0 {
    family inet {
        address 10.1.1.29/31;
    }
}
```

```
[edit protocols bgp group BGP]
user@router# show
multihop;
accept-remote-nexthop;
local-address 10.1.1.29;
advertise-inactive;
damping;
family inet {
    unicast;
}
family inet-vpn {
    unicast;
}
peer-as 65511;
local-as 65514;
multipath;
allow 10.100.100.0/24;
neighbor 10.1.1.28;
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The configuration is for an external BGP session
- B. The local-address statement is not required for the BGP session to establish correctly
- C. The configuration is for an internal BGP session
- D. The local-address statement is required for the BGP session to establish correctly

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/configuration-statement/local-address-edit-protocols-bgp.html

QUESTION 4



Click the Exhibit button.

```
user@router> show route 0/0 exact detail

inet.0: 14 destinations, 14 routes (14 active, 0 holddown, 0 hidden)
0.0.0.0/0 (1 entry, 1 announced)
  *Aggregate Preference: 130
    Next hop type: Router, Next hop index: 546
    Next-hop reference count: 4
    Next hop: 172.27.25.1 via ge-0/0/1.100, selected
    State: <Active Int Ext>
    Local AS: 65400
    Age: 1:03:46
    Task: Aggregate
    Announcement bits (2): 0-KRT 2-OSPF
    AS path: I
                                Flags: Generate Depth: 0      Active
Contributing Routes (1):
  184.0.0.0/16 proto BGP
```

Which type of route is shown in the exhibit?

- A. generate
- B. static
- C. kernel
- D. aggregate

Correct Answer: A

Reference: <https://dataplumber.wordpress.com/2012/02/22/whats-the-difference-between-an-aggregateand-a-generate-route-in-junos/#:~:text=What%20is%20that%20the,route%20matching%20the%20packet%20destination.>

QUESTION 5

You want to make use of the nonstop active routing (NSR) feature. Which complementary feature must also be enabled?

- A. IP anycast
- B. graceful restart
- C. Virtual Router Redundancy Protocol
- D. graceful Routing Engine switchover

Correct Answer: D



VCE & PDF

PassApply.com

<https://www.passapply.com/jn0-362.html>

2024 Latest passapply JN0-362 PDF and VCE dumps Download

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/nsr-overview.html

[Latest JN0-362 Dumps](#)

[JN0-362 Practice Test](#)

[JN0-362 Braindumps](#)