

JN0-363^{Q&As}

Service Provider Routing and Switching Specialist (JNCIS-SP)

Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/jn0-363.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

What are three well-know	n mandatory l	BGP attributes?	(Choose three.)

- A. next hop
- B. origin
- C. community
- D. MED
- E. AS path

Correct Answer: ABE

QUESTION 2

You want to enable a routing platform with redundant REs to switch from a primary RE to a backup RE without alerting peer nodes. Which two technologies would you use to satisfy this requirement? (Choose two.)

- A. GRES
- B. VRRP
- C. NSR
- D. ISSU

Correct Answer: BC

QUESTION 3

Exhibit Referring to the exhibit, internal BGP between R1 and R2 is not establishing. What is the problem In this scenario?

```
■ Exhibit
                                                                              ×
user@R1> show bgp summary
Threading mode: BGF I/O
Default eBGP mode: advertise - accept, receive - accept
Groups: 1 Peers: 1 Down peers: 1
Table
        Tot Paths Act Paths Suppressed History Damp State Pending
inet.0
                       0
                                      0
                                                 0
                                                           0
                     AS
                            InPkt OutPkt OutQ Flaps Last Up/Dwn
State | #Active/Received/Accepted/Damped...
                                         0 0 0 1:01 Active
192.168.200.2
                  64512
user@R1> show configuration routing-options
autonomous-system 64512;
user@R1> show configuration protocols
bab {
    group Internal (
      type internal;
      local-address 192.168.200.1;
      neighbor 192.168.200.2;
```

- A. R1 does not have a route to 192.168.200.2.
- B. R1 and R2 must each have unique AS numbers.
- C. R1 needs to be configured with an explicit router ID.
- D. R1 needs to be configured with a next-hop self policy.

Correct Answer: A

QUESTION 4

Exhibit

```
■ Exhibit
                                                                                            ×
[edit]
user@R1# show policy-options
policy-statement next-hop-self-policy (
    term alter-next-hop {
        then {
             next-hop self;
        1
}
 [edit]
user@R1# show protocols bgp
group int-64503 (
    type internal;
    local-address 192.168.100.1;
    neighbor 192.168.100.2;
group ext-64501 (
    type external;
    peer-AS 64501;
    neighbor 172.30.1.2;
```

Referring to the exhibit, where should next-hop-self-policy be applied to alter the next-hop value?

- A. The policy is applied as an export policy for the group int-64503.
- B. The policy is applied as an export policy for the group ext-64501.
- C. The policy is applied as an import policy for the group int- 64 503.
- D. The policy is applied as an Import policy for the group ext-64501.

Correct Answer: D

QUESTION 5

Which LSA type does an OSPF ABR use to advertise external routes generated by an NSSAASBR into the backbone?

- A. Type 5
- B. Type 7
- C. Type 3
- D. Type 1

Correct Answer: C



<u>Latest JN0-363 Dumps</u>

JN0-363 VCE Dumps

JN0-363 Study Guide