

JN0-363^{Q&As}

Service Provider Routing and Switching Specialist (JNCIS-SP)

Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/jn0-363.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which BGP attribute Is used to detect touting loops?

- A. AS path
- B. MED
- C. local preference
- D. next hop

Correct Answer: A

QUESTION 2

Exhibit Referring to the exhibit, internal BGP between R1 and R2 is not establishing. What is the problem In this scenario?

```
A Exhibit
user@R1> show bgp summary
Threading mode: BGF I/O
Default eBGP mode: advertise - accept, receive - accept
Groups: 1 Peers: 1 Down peers: 1
Table
              Tot Paths Act Paths Suppressed History Damp State
                                                                      Pending
inet.0
                                0
                                          0
                                                       0
                                                                 0
                        AS
                                        OutPkt
                               InPkt
                                                   Outo
                                                         Flaps Last Up/Dwn
State | #Active/Received/Accepted/Damped...
                     64512
                                               0
                                                     0
192.168.200.2
                                    O
                                                              0
                                                                       1:01 Active
user@R1> show configuration routing-options
autonomous-system 64512;
user@R1> show configuration protocols
    group Internal (
        type internal;
        local-address 192.168.200.1;
        neighbor 192.168.200.2;
```

- A. R1 does not have a route to 192.168.200.2.
- B. R1 and R2 must each have unique AS numbers.
- C. R1 needs to be configured with an explicit router ID.
- D. R1 needs to be configured with a next-hop self policy.

https://www.passapply.com/jn0-363.html 2024 Latest passapply JN0-363 PDF and VCE dumps Download

Correct Answer: A

QUESTION 3

You are bringing a new network online with three IS-IS routers using default Junos election priorities. The routers are configured as Level 2 only IS-IS routers. Which statement is true about the DIS election in this scenario?

- A. The router with the highest MAC address will be elected as the DIS.
- B. The router with the highest numerical Io0 IP address will be elected as the DIS.
- C. The router with the lowest numerical lo0 IP address will be elected as the DIS.
- D. The router with the lowest MAC address will be elected as the DIS.

Correct Answer: B

QUESTION 4

You want to see a detailed list of all established BGP sessions. In this scenario, what would be a valid command to accomplish this task?

- A. show bgp neighbor
- B. show bgp summary
- C. show rouse receive-protocol bgp
- D. show rouse protocol bgp

Correct Answer: D

QUESTION 5

Exhibit.

https://www.passapply.com/jn0-363.html

2024 Latest passapply JN0-363 PDF and VCE dumps Download

```
■\ Exhibit
                                                                                      ×
[edit routing-options]
user@router# show
aggregate (
route 172.21.0.0/22;
[edit routing-options]
user@router# run show route protocol aggregate
inet.0: 21 destinations, 21 routes (20 active, 0 holddown, 1 hidden)
inet6.0: 10 destinations, 10 routes (10 active, 0 holddown, 0 hidden
[edit routing-options]
user@router# run show route hidden
inet.0: 21 destinations, 21 routes (20 active, 0 holddown, 1 hidden)
+ = Active Route, - = Last Active, * = Both
172.21.0.0/22
                [Aggregate] 00:12:09
                     Reject
inet6.0: 10 destinations, 10 routes (10 active, 0 holddown, 0 hidden
```

Referring to the exhibit, you have configured an aggregate route that represents the 172.21.0.0/24, 172.21.1.0/24, and 172.21.2.0/24 networks. However, when you view the routing table, your new route hidden.

Which action would you perform to determine the problem?

- A. Verify that you have active contributing routes on the device.
- B. Verify that you have configured a policy on the device to accept aggregate routes.
- C. Verify that you have defined a metric value for the aggregate route.
- D. Verify that you have set the preference to a lower default value.

Correct Answer: D

Latest JN0-363 Dumps JN0-363 VCE Dumps

JN0-363 Practice Test