



# JN0-363<sup>Q&As</sup>

Service Provider Routing and Switching Specialist (JNCIS-SP)

## Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-363.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

Which LSA type does an OSPF ABR use to advertise external routes generated by an NSSAASBR into the backbone?

- A. Type 5
- B. Type 7
- C. Type 3
- D. Type 1

Correct Answer: C

---

#### QUESTION 2

Which two statements are correct about the BGP next-hop attribute value? (Choose two.)

- A. By default, the next-hop value is changed across IBGP links.
- B. By default, the next-hop value is changed across EBGP links.
- C. By default, the next-hop value is not changed across IBGP links.
- D. By default, the next-hop value is not changed across EBGP links.

Correct Answer: A

---

#### QUESTION 3

The segment routing SRGB start label is 10,000 and the SRGB index range is 500.

In this scenario, which two statements are correct? (Choose two.)

- A. The first usable label is 10,001.
- B. The last usable label is 10,501.
- C. The last usable label is 10,499.
- D. The first usable label is 10,000.

Correct Answer: CD

---

#### QUESTION 4

You are deploying link aggregation groups.

- A. By default, what are two considerations in this scenario? (Choose two.)



- B. There should only be four member links per LAG.
- C. All the ports must have the same speed.
- D. Member links are required to be contiguous ports.
- E. Member links can reside on different members within an MC-LAG.

Correct Answer: BD

---

#### QUESTION 5

You are asked to create connections between routing instances on the same Junos device and route between the connected Instances. What are two ways to accomplish this task? (Choose two.)

- A. Use physical interfaces.
- B. Use an IRB interface.
- C. Use logical tunnel interfaces.
- D. Use loopback interfaces.

Correct Answer: AB

[Latest JN0-363 Dumps](#)

[JN0-363 VCE Dumps](#)

[JN0-363 Exam Questions](#)