



# JN0-363<sup>Q&As</sup>

Service Provider Routing and Switching Specialist (JNCIS-SP)

## Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-363.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What are two types of SIDs used in segment touting? (Choose two.)

- A. node
- B. adjacency
- C. link
- D. interface

Correct Answer: AB

---

### QUESTION 2

Which two interface types are used as tunnel endpoints? (Choose two.)

- A. ae
- B. ip
- C. ge
- D. gr

Correct Answer: BC

---

### QUESTION 3

Exhibit



```
Exhibit  
user@R1> show vrrp summary  
Interface      State      Group  VR state  VR Mode  Type  Address  
ge-0/0/4.0    up        10     master   Active   lcl   172.25.100.2  
vip           172.25.100.1  
  
user@R2> show vrrp summary  
Interface      State      Group  VR state  VR Mode  Type  Address  
ge-0/0/4.0    up        10     master   Active   lcl   172.25.100.3  
vip           172.25.100.1
```

Referring to the exhibit, which statement is true about VRRP?

- A. VRRP communication between the two devices is not functioning correctly.
- B. Both routers are in the same state because they have the same VRRP priority.
- C. VRRP is functioning normally in active/active mode.
- D. The routers should use different virtual IP addresses for VRRP to function correctly.

Correct Answer: D

#### QUESTION 4

How does a Junos device learn about MAC addresses when it is first connected to an Ethernet LAN?

- A. The device sends out a network broadcast message asking for all devices and MAC addresses on the network and stores this information in addition to the interface from which the response was received.
- B. The device learns the destination MAC addresses from traffic in the network and stores this MAC address in addition to the interface from which the traffic was received.
- C. The device learns the source MAC addresses from traffic in the network and stores this MAC address in addition to the interface from which the traffic was received.
- D. The device sends out a network multicast message asking for all devices and MAC addresses on the network and stores this information in addition to the interface from which the response was received.

Correct Answer: D



### QUESTION 5

Which new field is added to an IPv6 header as compared to IPv4?

- A. version
- B. checksum
- C. fragment offset
- D. flow label

Correct Answer: D

[Latest JN0-363 Dumps](#)

[JN0-363 VCE Dumps](#)

[JN0-363 Practice Test](#)