



JN0-363^{Q&As}

Service Provider Routing and Switching Specialist (JNCIS-SP)

Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-363.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are correct when using LDP? (Choose two.)

- A. The Inet.3 table will contain only the paths explicitly defined.
- B. The inet.3 table will contain a full mesh of label-switched paths to other LDP-enabled routers.
- C. LDP label-switched paths are created by configuring LDP on at least one physical router interface.
- D. LDP label-switched paths are created by configuring LDP on the loopback Interface.

Correct Answer: BC

QUESTION 2

Exhibit Which two statements are correct about the information shown in the exhibit? (Choose two.)

```
Exhibit
user@switch> show spanning-tree bridge
STP bridge parameters
Context ID                : 0
Enabled protocol          : RSTP
  Root ID                  : 8192.50:c5:8d:ae:db:41
  Hello time               : 10 seconds
  Maximum age              : 40 seconds
  Forward delay            : 30 seconds
  Message age              : 0
  Number of topology changes : 6
  Time since last topology change : 781 seconds
  Topology change initiator : ge-0/0/14.0
  Topology change last recvd. from : 2c:6b:f5:31:06:0b
Local parameters
  Bridge ID                : 8192.50:c5:8d:ae:db:41
  Extended system ID       : 0
  Internal instance ID     : 0
```

- A. The root bridge is reachable using the ge-0/0/14 interface.
- B. This switch is the root bridge for this spanning tree topology.
- C. This switch has a bridge priority of 8k.
- D. The root bridge's priority is 4k.

Correct Answer: BD



QUESTION 3

Exhibit

```
Exhibit

user@R1> show configuration protocols mpls
label-switched-path R1_TO_R5 {
  to 192.168.1.5;
  no-cspf;
}
interface ge-0/0/0.0;
interface ge-0/0/1.0;
```

You have an established LSP between your R1 and R5 devices using the configuration shown in the exhibit. You are asked to ensure that MPLS labels are used to forward traffic by all devices within the LSP.

Which action will accomplish this behavior?

- A. Configure the ultimate-hop-popping statement under the R1_TO_R5 label switched path on R1.
- B. Configure the explicit-null statement under the protocol mpls hierarchy on R1.
- C. Delete the no-cspf statement under the R1_TO_R5 label switched path on R1.
- D. Configure the install statement under the R1_TO_R5 label switched path on R1.

Correct Answer: D

QUESTION 4

Exhibit Which prefix in the output shown in the exhibit is an external prefix injected by an OSPF router?



Exhibit



```
user@R2> show ospf route
Topology default Route Table:
Prefix                Path   Route      NH   Metric  NextHop      Nexthop
                    Type  Type       Type
192.168.1.1           Intra AS BR    IP   1      ge-0/0/3.0   172.26.1.1
192.168.1.3           Intra Area BR IP   1      ge-0/0/1.0   172.26.2.2
172.18.1.0/24         Ext2  Network    IP   0      ge-0/0/3.0   172.26.1.1
172.26.1.0/30         Intra Network IP   1      ge-0/0/3.0
172.26.2.0/30         Intra Network IP   1      ge-0/0/1.0
172.26.3.0/30         Intra Network IP   100    ge-0/0/2.0
172.26.4.0/30         Inter Network IP   2      ge-0/0/1.0   172.26.2.2
192.168.1.1/32        Ext2  Network    IP   1      ge-0/0/3.0   172.26.1.1
192.168.1.2/32        Intra Network IP   0      lo0.0
192.168.1.3/32        Intra Network IP   1      ge-0/0/1.0   172.26.2.2
192.168.1.4/32        Inter Network IP   2      ge-0/0/1.0   172.26.2.2
```

- A. 192.168.1.3
- B. 172.18.1.0/24
- C. 192.108.1.4
- D. 172.26.4.0/30

Correct Answer: D

QUESTION 5

What are three types of MPLS routers? (Choose three.)

- A. transit routers
- B. peering routers
- C. egress routers
- D. aggregation routers
- E. ingress routers

Correct Answer: ACE

[Latest JN0-363 Dumps](#)

[JN0-363 PDF Dumps](#)

[JN0-363 VCE Dumps](#)