



JN0-412^{Q&As}

Cloud, Specialist (JNCIS-Cloud)

Pass Juniper JN0-412 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-412.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which two deployment methods does AppFormix support? (Choose two.)

- A. Hyper-V
- B. VMware
- C. OpenStack
- D. Xen

Correct Answer: BC

Reference: https://www.juniper.net/documentation/en_US/appformix/topics/concept/appformix-general-requirements.html

QUESTION 2

Prior to installing Contrail, which list of settings must be verified on all participating servers?

- A. DHCP is enabled, hostname resolution, and that SSH is enabled
- B. time synchronization, hostname resolution, and that FTP is enabled
- C. time synchronization, hostname resolution, and that SSH is enabled
- D. DHCP is enabled, hostname resolution, and that FTP is enabled

Correct Answer: C

Reference: https://www.juniper.net/documentation/en_US/contrail2.0/information-products/pathway-pages/getting-started.pdf

QUESTION 3

You have a centrally routed and bridged topology.

In this scenario, routing between subnets would be performed on which two types of devices? (Choose two.)

- A. leaf
- B. spine
- C. DC gateway
- D. bridge

Correct Answer: AB



Reference: https://www.juniper.net/documentation/en_US/release-independent/solutions/topics/task/configuration/centrally-routed-overlay-cloud-dc-configuring.html

QUESTION 4

You are creating an AppFormix dynamic alarm definition with a dynamic threshold.

In this scenario, which three parameters are available? (Choose three.)

- A. baseline analysis algorithm
- B. state
- C. owner
- D. sensitivity
- E. learning period duration

Correct Answer: ADE

Reference: https://www.juniper.net/documentation/en_US/appformix/topics/concept/appformix-alarms.html

QUESTION 5

Click the Exhibit button.



```
heat_template_version: 2018-03-02

resources:
  vm_1:
    type: OS::Nova::Server
    properties:
      image: cirros
      flavors: ml.tiny
      networks: [{"network": "VN-A"}]

  vm_2:
    type: OS::Nova::Server
    properties:
      image: cirros
      flavors: ml.tiny
      networks: [{"network": "VN-A"}]
```

What will be the result of deploying the Heat template shown in the exhibit?

- A. Neither VM will be deployed.
- B. Only vm_2 will be deployed and vm_1 will be overwritten.
- C. Both vm_1 and vm_2 will be deployed.
- D. Only vm_1 will be deployed and vm_2 will fail.

Correct Answer: C

Reference: <https://docs.onap.org/projects/onap-vnfrqts-requirements/en/latest/Chapter5/Heat/ONAP%20Heat%20Resource%20ID%20and%20Parameter%20Naming%20Convention/Nova%20Parameters.html>

[Latest JN0-412 Dumps](#)

[JN0-412 PDF Dumps](#)

[JN0-412 VCE Dumps](#)