



JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are correct about JSON characteristics? (Choose two)

- A. JSON is a supported template language
- B. JSON is easy to read for humans and devices
- C. JSON uses ## for comments
- D. JSON is programming language independent

Correct Answer: BD

QUESTION 2

Click the Exhibit button. Exhibit:



```
>>> response = dev.rpc.get_system_users_information(normalize=True)
>>> print etree.tostring(response, pretty_print=True)
<system-users-information>
  <uptime-information>
    <date-time seconds="1504327069">11:09AM</date-time>
    <up-time seconds="611640">7 days, 1:54</up-time>
    <active-user-count format="3 users">3</active-user-count>
    <load-average-1>0.41</load-average-1>
    <load-average-5>0.38</load-average-5>
    <load-average-15>0.40</load-average-15>
    <user-table>
      <user-entry>
        <user>user</user>
        <tty>pts/0</tty>
        <from>172.29.110.83</from>
        <login-time seconds="1504327069">9:10AM</login-time>
        <idle-time seconds="900">15</idle-time>
        <command>-cli (cli)</command>
      </user-entry>
      <user-entry>
        <user>user</user>
        <tty>pts/1</tty>
        <from>172.29.110.83</from>
        <login-time seconds="1504270697">10:51AM</login-time>
        <idle-time seconds="1020">17</idle-time>
        <command>-cli (cli)</command>
      </user-entry>
      <user-entry>
        <user>user</user>
        <tty>pts/2</tty>
        <from>172.29.110.83</from>

        <login-time seconds="1504029166">10:52AM</login-time>
        <idle-time seconds="1020">17</idle-time>
        <command>-cli (cli)</command>
      </user-entry>
    </user-table>
  </uptime-information>
</system-users-information>
```

Referring to the exhibit, which Python statement selects the element for the user logged in on the pts/2 TTY?

A. `response.find("./uptime-information/user-table/user-entry/tty=\\pts/2\\")`



- B. `response.find("./uptime-information/user-table/[tty=\\'pts/2\\']/user-entry")`
- C. `response.find("../user-entry/[tty=\\'pts/2\\']")`
- D. `response.find("./uptime-information/user-table/user-entry@tty=\\'pts/2\\'")`

Correct Answer: B

QUESTION 3

The XML tag is a member of which NETCONF protocol layer?

- A. Transport
- B. Content
- C. Messages
- D. Operations

Correct Answer: A

The NETCONF protocol uses an RPC-based communication model. NETCONF peers use and elements to provide transport-protocol-independent framing of NETCONF requests and responses. Reference: <https://tools.ietf.org/html/rfc6241>

QUESTION 4

Which messaging protocol do JET service APIs use to interface with the Junos OS?

- A. NETCONF
- B. MQTT
- C. RabbitMQ
- D. gRPC

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/jet1.0/information-products/pathway-pages/jetdeveloper-guide.html

QUESTION 5

In SLAX, what is the difference between the `jcs:invoke ()` and the `jcs:execute ()` functions?

- A. RPCs called by `jcs:execute ()` are executed within an existing connection
- B. RPCs called by `jcs:invoke ()` are executed within an existing connection
- C. RPCs called by `jcs:invoke ()` are not executed until the conclusion of the script



D. RPCs called by jcs:execute () are not executed until the conclusion of the script

Correct Answer: A

[JN0-420 VCE Dumps](#)

[JN0-420 Practice Test](#)

[JN0-420 Braindumps](#)