



JN0-420^{Q&As}

Automation and DevOps, Specialist (JNCIS-DevOps)

Pass Juniper JN0-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-420.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which pair of daemons in the Junos OS handle automation?

- A. mgd and jsd
- B. mgd and JET
- C. jsd and gRPC
- D. JET and gRPC

Correct Answer: A

QUESTION 2

Click the Exhibit button. Exhibit:

```
-- --
-   name: Get facts from Junos devices
    hosts: all
    connection: local
    gather_facts: no
    roles:

-   Juniper.junos

tasks:

-   name: Get facts from Junos devices

        junos_get_facts:
            host: "{{inventory_hostname}}"
            user: "user"
            passwd: "user123"
            register: response

-   name: Print Junos version
    debug:
        var: response.facts.version
```

The Ansible playbook shown in the exhibit is executed against a set of Junos network devices. Each Junos device is configured with a user account in the super-user login class. The user account uses SSH-keybased authentication with a passphrase of user123.

What is the result of executing this playbook against the Junos network devices?



- A. The playbook executes, but fails with a "ConnectAuthError" due to the missing passphrase argument to the junos_get_facts module
- B. The playbook fails due to a YAML syntax error.
- C. The playbook executes and prints the version of Junos running on each network device as the value of response.facts.version
- D. The playbook executes and prints "VARIABLE IS NOT DEFINED!" as the value response.facts.version

Correct Answer: C

QUESTION 3

A customer has a control machine with a default Ansible installation. During execution of an Ansible module, the Ansible control machine generates the no hosts matched error.

Which statement is correct in this scenario?

- A. The target device was not defined in /etc/ansible/inventory/hosts on the control machine
- B. The target device was not defined on the associated DNS servers
- C. The target device was not defined in /etc/hosts on the control machine
- D. The target device was not defined in /etc/ansible/hosts on the control machine

Correct Answer: D

Reference: https://www.juniper.net/documentation/en_US/junos-ansible1.0/topics/task/troubleshooting/junos-ansible-connection-errors-troubleshooting.html

QUESTION 4

What are three elements of a JET notification message? (Choose three)

- A. time
- B. severity
- C. username
- D. subscription type
- E. hostname

Correct Answer: ABE

JET notification is delivered in JSON format. The JSON message has two parts, one the header, and other the event-information portion, called attributes. The header is common for all events. It contains the event ID, hostname, time, severity, and facility of the event. The attributes vary depending event's topic name. Reference: https://www.juniper.net/documentation/en_US/jet1.0/topics/concept/jet-notification-apioverview.html



QUESTION 5

Which statement describes the relationship between YANG and NETCONF?

- A. YANG is the programming language used to generate base classes to develop the NETCONF protocol
- B. NETCONF models XML data used to program YANG modules
- C. YANG models the state and configuration data manipulated by the NETCONF protocol
- D. NETCONF is the programming language used to create the state and configuration data manipulated by YANG

Correct Answer: C

Reference: <https://tools.ietf.org/html/rfc6020>

[JN0-420 VCE Dumps](#)

[JN0-420 Practice Test](#)

[JN0-420 Brindumps](#)