



Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/jn0-450.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee


- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Referring to the exhibit, how much power will be lost from point A to point B assuming line of sight?



QUESTION 2

What is the purpose of a Probe Request frame?

- A. to discover all clients associated to a particular WLAN
- B. to discover all WLAN devices on a particular channel
- C. to discover available WLANs
- D. to associate to a WLAN



Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos-space-apps/network- director3.1/topics/ concept/wireless-scanning.html

QUESTION 3

Which statement about RadSec is correct?

- A. RadSec allows RADIUS authentication over TCP and TLS.
- B. RadSec allows RADIUS authentication over TCP and SSL
- C. RadSec allows RADIUS authentication over UDP and TLS.
- D. RadSec allows RADIUS authentication over UDP and SSL.

Correct Answer: A

Reference: https://www.mist.com/documentation/radsec/#:~:text=RadSec%20is%20a%20protocol%20 which,security %20through%20the%20transport%20layer

QUESTION 4

How is the WLAN affected if Wi-Fi 6 is disabled?

- A. The maximum theoretical data rate is reduced.
- B. No Wi-Fi 6 clients will be able to connect.
- C. All clients will connect using Wi-Fi 5.
- D. No 802. 11ax clients will be able to connect.

Correct Answer: D

Reference: https://www.mist.com/documentation/disable-wifi-6/

QUESTION 5

Referring to the exhibit, you asked Marvis to troubleshoot a client. In this scenario, what did Marvis determine?



MARVIS

troub	leshoot client ada7:95:80:34:0b
× TR	DUBLESHOOT "a8a7:95:80:34:95" DURING "Today"
-	es de la regoner sinisisti tel ne nore
I As	Inclifiuth CHIPCIDNS AP RF
-	
We	found 2 service level problems affecting this client
8.	Sucessful Connects
9	The clent failed to connect 224 of the time due to authentication failures on the AirAA WLAN and the 5 GHz band because of WPA 4way handshake timeout. This problem is client-specific. Most failares across the site occurred on the android 4aed2e615fb12b5 client. The client is currently online. Service Levels.
00	problem is client-specific. Most failares across the site occurred on the android 4aed2e615fb12b5 client. The client is currently online.
00	problem is client-specific. Most failares across the site occurred on the android 4aed2e515fb12b5 client. The client is currently online. Service Levels Classifiers
00	problem is client-specific. Most failares across the site occurred on the android 4aed2e615fb12b5 client. The client is currently online. Service Levels Classifiers FAILURE TYPES Classifier On Association On the One One One One One One One One One On
00	problem is client-specific. Most failares across the site occurred on the android 4aed2e515fo12b5 client. The client is currently online. Service Levels Classifiers FAILURE TYPES FAILURE COUNTS Autorization
00	problem is client-specific. Most failares across the site occurred on the android 4aed2e615fb12b5 client. The client is currently online. Service Levels Classifiers FAILURE TYPES Classifier On Association On the One One One One One One One One One On

- A. two authentication failures over this week
- B. two DHCP failures today
- C. DHCP errors over the past seven days
- D. two authentication failures today
- Correct Answer: A

Reference: https://www.mist.com/documentation/mist-experience-marvis-client/

JN0-450 PDF Dumps

JN0-450 Practice Test

JN0-450 Study Guide