



JN0-450^{Q&As}

Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Referring to the exhibit, what does the security alert indicate?



- A. An AP that is not part of the Mist Org is connected to the same wired network as the Mist APs.
- B. An AP that is not part of the Mist Org is launching a DDoS attack on the Mist APs.
- C. An AP that is not part of the Mist Org is advertising the same SSIDs as the Mist APs.
- D. An AP that is not part of the Mist Org is operating in the same RF channel as the nearby Mist AP.

Correct Answer: A

Reference: <https://www.mist.com/documentation/rogue-neighbor-honeypot-aps/>

QUESTION 2

You manage a shared workspace of 10 cubicles with only Wi-Fi access. A workspace or multiple workspaces can be rented by anyone. A tenant often brings multiple Wi-Fi clients with them to their cubicle. You want to provide secure Wi-Fi access to anyone who rents the space. In this scenario, how should you accomplish this task?

- A. Use the multiple PSK option in the WLAN.
- B. Use one SSID with Isolation turned on.
- C. Use a combination of band steering and multiple SSIDs.
- D. Use separate SSIDs for every tenant.

Correct Answer: A

Reference: <https://www.mist.com/documentation/multi-psk/>



QUESTION 3

What are two advantages of lower modulation methods? (Choose two.)

- A. Lower modulation provides higher total aggregate throughput.
- B. Lower modulation provides higher data rates.
- C. Lower modulation is more robust against signal corruption.
- D. Lower modulation can achieve greater range.

Correct Answer: CD

QUESTION 4

Your team is asked to build a wireless network for an apartment building. The customer wants to have a single WLAN advertised, but still provide isolation between groups of users. In this scenario, which statement correctly describes the solution?

- A. A single key is generated to access multiple SSIDs with personal WLAN enabled
- B. Additional VLANs are required to segment the users.
- C. Multiple unique keys are generated to access a single SSID with personal WLAN enabled.
- D. Private VLANs are required to segment the users.

Correct Answer: C

Reference: <https://www.mist.com/documentation/personal-wlans/>

QUESTION 5

You want to force a guest portal user to re-authenticate to the wireless LAN. Using the Mist UI, which command will accomplish this task?

- A. release AP
- B. reconnect
- C. auto upgrade
- D. reauthorize

Correct Answer: B

Reference: <https://www.mist.com/documentation/difference-reconnect-reauthorize/#:~:text=Almost%20all%20devices%20connect%20right,only%20to%20already%20authorized%20guests.andtext=Then%2C%20only%20guests%20who%20know,to%20use%20the%20guest%20WLAN>



VCE & PDF

PassApply.com

<https://www.passapply.com/jn0-450.html>

2024 Latest passapply JN0-450 PDF and VCE dumps Download

[JN0-450 Study Guide](#)

[JN0-450 Exam Questions](#)

[JN0-450 Braindumps](#)