



JN0-450^{Q&As}

Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What does a 3dBi antenna do to a received signal?


- A. It increases the power by a factor of 3.
- B. It increases the power by a factor of 10.
- C. It increases the power by a factor of 2.
- D. It decreases the power by a factor of 3.

Correct Answer: A

Reference: <https://www.telewave.com/2018/02/understanding-antenna-gain/>

QUESTION 2

What will the BLE array be doing in the configuration shown in the exhibit?



- A. listening and transmitting
- B. transmitting only
- C. listening only
- D. setting vBLEs

Correct Answer: C

Reference: <https://www.mist.com/documentation/where-is-ble-controlled/>

QUESTION 3



Which two Marvis Wired Assurance actions require a Juniper switch? (Choose two.)

- A. EAP/802.1X failure
- B. bad cable
- C. negotiation mismatch
- D. missing VLAN

Correct Answer: BC

Reference: <https://www.youtube.com/watch?v=pbYbsC0jjPE>

QUESTION 4

Referring to the exhibit, what are two reasons why a Mist AP would have multiple IP addresses? (Choose two.)

Status	
Status	<input checked="" type="checkbox"/> Connected
DHCP Server	10.10.10.1
IP Address (vlan1)	10.10.10.16/24,fe80:0:...
IP Address (vlan100)	10.10.100.22/24,fe80:...
Gateway	10.10.10.1
Primary DNS	8.8.8.8
Secondary DNS	
External IP Address	122.172.108.135
No. Clients	0
Uptime	3h
Last Seen	05:51:36 PM, Mar 27

- A. One IP address is used for control traffic and one address is used for management traffic.
- B. The Local Status Page is enabled in the site settings.



- C. One IP address is used for redundancy.
- D. A guest portal is configured on a tagged VLAN.

Correct Answer: BD

Reference: <https://www.mist.com/documentation/aps-use-ip-addresses/>

QUESTION 5

Users at a branch site are complaining of a slow performing network and your team suspects the issue may be the new network-attached video camera system. You need to monitor the amount of traffic that a specific device has generated over the past week. In this scenario, where in the Mist dashboard would you accomplish this task?

- A. Clients -> App Clients -> select Client Device
- B. Monitor -> Insights -> select Client Device
- C. Marvis -> type in name of client
- D. Analytics -> Events

Correct Answer: B

Reference: <https://www.mist.com/documentation/checking-the-activity-log-of-a-client/>

[JN0-450 PDF Dumps](#)

[JN0-450 Exam Questions](#)

[JN0-450 Braindumps](#)