



JN0-634^{Q&As}

Security, Professional (JNCIP-SEC)

Pass Juniper JN0-634 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-634.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Using the Policy Controller API, which configuration would post Sky ATP with PE mode to the Policy Enforcer controller configuration?

"configs": {

A. "sdsn": false "cloudonly": true }

B. "configs": { "sdsn": false "cloud": false } "configs": {

C. "sdsn": true "cloudonly": false }

D. "configs": { "sdsn": false "cloud": true }

Correct Answer: C

QUESTION 2

The Software-Defined Secure Networks Policy Enforcer contains which two components? (Choose two.)

A. SRX Series device

B. Sky ATP

C. Policy Controller

D. Feed Connector

Correct Answer: CD

QUESTION 3

Click the Exhibit button.



Monitor / Hosts

Host 192.168.1.159 ?

Host Name: 192.168.1.159

Host Status: ⓘ High threat level, recommend blocking host and investigating further ?

Investigation Status:

▼

Policy override for this host:

▼

Referring to the exhibit, the host has been automatically blocked from communicating on the network because a malicious file was downloaded. You cleaned the infected host and changed the investigation status to Resolved ?Fixed.

What does Sky ATP do if the host then attempts to download a malicious file that would result in a threat score of 10?

- A. Sky ATP does not log the connection attempt and an SRX Series device does not allow the host to communicate on the network.
- B. Sky ATP logs the connection attempt and an SRX Series device does not allow the host to communicate on the network.
- C. Sky ATP logs the connection attempt and an SRX Series device allows the host to communicate on the network.
- D. Sky ATP does not log the connection attempt and an SRX Series device allows the host to communicate on the network.

Correct Answer: C

QUESTION 4

A customer has recently deployed a next-generation firewall, sandboxing software, cloud access security brokers (CASB), and endpoint protection.

In this scenario, which tool would provide the customer with additional attack prevention?

- A. Junos Space Cross Provisioning Platform
- B. Contrail
- C. Security Director Policy Enforcer
- D. Network Director Inventory Manager

Correct Answer: C



QUESTION 5

Click the Exhibit button.



```
[edit security idp]
user@host# show
idp-policy example-idp-policy {
    rulebase-ips {
        rule r1 {
            match {
                source-address 10.1.0.0/146;
                attacks {
                    predefined-attack-groups "HTTP - All";
                }
            }
            then {
                action {
                    no-action;
                }
                notification {
                    log-attacks;
                }
            }
        }
        rule r2 {
            match {
                source-address 10.1.1.85/32;
                attacks {
                    predefined-attack-groups "HTTP - All";
                }
            }
            then {
                action {
                    mark-diffserv {
                        8;
                    }
                }
            }
        }
        rule r3 {
            match {
                source-address 10.0.0.0/8;
                attacks {
                    predefined-attack-groups "HTTP - All";
                }
            }
            then {
                action {
                    drop-connection;
                }
            }
        }
        rule r4 {
            match {
                source-address any;
                attacks {
                    predefined-attack-groups "HTTP - All";
                }
            }
            then {
                action {
                    close-client-and-server;
                }
            }
        }
    }
}
```



Referring to the exhibit, a user with IP address 10.1.1.85 generates a request that triggers the HTTP:EXT:DOT-LNK IDP signature that is a member of the "HTTP ?All" predefined attack group.

In this scenario, which statement is true?

- A. The session will be closed and a reset sent to the client and server.
- B. A Differentiated Services code point value of 8 will be applied.
- C. No action will be taken and the attack information will be logged.
- D. The session will be dropped with no reset sent to the client or server.

Correct Answer: D

[Latest JN0-634 Dumps](#)

[JN0-634 PDF Dumps](#)

[JN0-634 Exam Questions](#)