



# JN0-634<sup>Q&As</sup>

Security, Professional (JNCIP-SEC)

## Pass Juniper JN0-634 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-634.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.

```
user@host# show security advance-policy-based-routing
profile profile1 {
  rule rule-appl {
    match {
      dynamic-application junos:HTTP;
    }
    then {
      routing-instance R1;
    }
  }
  rule rule-app2 {
    match {
      dynamic-application junos:junos:web:social-networking;
    }
    then {
      routing-instance R2;
    }
  }
  rule rule-app3 {
    match {
      dynamic-application junos:YAHOO;
    }
    then {
      routing-instance R3;
    }
  }
}
```

Your organization requests that you direct Facebook traffic out a different link to ensure that the bandwidth for critical applications is protected.

Referring to the exhibit, which forwarding instance will be used on your SRX Series device?

- A. R3
- B. R1
- C. R2
- D. inet.0

Correct Answer: C

---

**QUESTION 2**

Click the Exhibit button.

```
[edit]
user@host# show interfaces ge-0/0/4
unit 0 {
    family ethernet-switching {
        interface-mode access;
        vlan {
            members SV;
        }
    }
}

[edit]
user@host# show interfaces ge-0/0/5
unit 0 {
    family ethernet-switching {
        interface-mode access;
        vlan {
            members SV;
        }
    }
}

[edit]
user@host# show vlans
SV {
    vlan-id 101;
}

[edit]
user@host# show security forwarding-options
secure-wire {
    access-sw {
        interface [ ge-0/0/4 ge-0/0/5 ];
    }
}

[edit]
user@host# commit
[edit security forwarding-options secure-wire access-sw]
'interface ge-0/0/4'
    Interface name ge-0/0/4 is not valid
[edit security forwarding-options secure-wire access-sw]
'interface ge-0/0/4'
    Error: two and only two logical interfaces are required for a
secure-wire
error: configurartion check-out failed
```



You are trying to implement secure wire on your SRX Series device. However, you are receiving the commit error shown in the exhibit.

What must you do to solve the problem?

- A. Add the correct logical units to the interfaces in the secure wire.
- B. Put the ge-0/0/4 and ge-0/0/5 interfaces in separate secure wires.
- C. Change the Ethernet switching mode from access to trunk for the ge-0/0/4 and ge-0/0/5 interfaces.
- D. Add the ge-0/0/4 and ge-0/0/5 interfaces to the SV VLAN.

Correct Answer: A

---

### QUESTION 3

Click the Exhibit button.

```
user@host# show security idp
idp-policy base-policy {
  rulebase-ips {
    rule R1 {
      match {
        from-zone trust;
        source-address any;
        to-zone untrust;
        destination-address any;
        application default;
        attacks {
          predefined-attack-groups HTTP-Critical;
        }
      }
      then {
        action {
          mark-diffserv {
            10;
          }
        }
      }
    }
  }
}
```

Referring to the security policy shown in the exhibit, which two actions will happen as the packet is processed? (Choose two.)



- A. It passes unmatched traffic after modifying the DSCP priority.
- B. It marks and passes matched traffic with a high DSCP priority.
- C. It marks and passes matched traffic with a low DSCP priority.
- D. It passes unmatched traffic without modifying DSCP priority.

Correct Answer: BD

---

#### QUESTION 4

After downloading the new IPS attack database, the installation of the new database fails. What caused this condition?

- A. The new attack database no longer contained an attack entry that was in use.
- B. The new attack database was revoked between the time it was downloaded and installed.
- C. The new attack database was too large for the device on which it was being installed.
- D. Some of the new attack entries were already in use and had to be deactivated before installation.

Correct Answer: A

---

#### QUESTION 5

Which two statements about the integrated user firewall feature of the Junos OS are true? (Choose two.)

- A. The maximum number of supported active directory servers is ten.
- B. IPv6 addresses are not supported.
- C. The maximum number of supported active directory servers is five.
- D. IPv6 addresses are supported.

Correct Answer: AB

[JN0-634 PDF Dumps](#)

[JN0-634 Exam Questions](#)

[JN0-634 Braindumps](#)