



JN0-635^{Q&As}

Security, Professional

Pass Juniper JN0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
[edit protocols ospf area 0.0.0.0]
user@srx# show
interface ge-0/0/4.0 {
    passive;
}
interface ge-0/0/5.0 {
    passive;
}
interface ge-0/0/6.0 {
    passive;
}
interface st0.0 {
    interface-type p2mp;
}
```

You have configured an ADVPN that is operational. However, OSPF will not establish correctly across the ADVPN tunnels.

Referring to the exhibit, which two commands will solve the problem? (Choose two.)


- A. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 dynamic-neighbors
- B. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 topology advpn
- C. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 interface-type nbma
- D. [edit protocols ospf area 0.0.0.0] user@srx# set interface st0.0 demand-circuit

Correct Answer: AD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-auto-discoveryvpns.html

QUESTION 2

Click the Exhibit button.



Branch 1 and Branch 2 have an active VPN tunnel configured, but internal hosts cannot communicate with each other.

Referring to the exhibit, which type of configuration should be applied to solve the problem?

- A. Configure destination NAT on both Branch 1 and Branch 2
- B. Configure source NAT on Branch 1
- C. Configure destination NAT on Branch 2 only
- D. Configure static NAT on both Branch 1 and Branch 2

Correct Answer: D

QUESTION 3

Click the Exhibit button.

```
user@srx> show security flow session
Session ID: 11232, Policy name: Allow-ipv6-Telnet/11, Timeout: 1788, Valid
  In: 2001:db8::1/57707 --> 2001:db8::8/23;tcp, Conn Tag: 0x0, If: vlan.101,
Pkts: 9, Bytes: 799,
  Out: 10.8.8.8/23 --> 10.7.7.5/21868;tcp, Conn Tag: 0x0, If: ge-0/0/2.0,
Pkts: 8, Bytes: 589,
Total sessions: 1
```

Which type of NAT is shown in the exhibit?

- A. NAT46
- B. NAT64



C. persistent NAT

D. DS-Lite

Correct Answer: B

QUESTION 4

Click the Exhibit button.

```
user@srx> show security macsec connections
Interface name: ge-0/0/0
  CA name: cal
  Cipher suite: GCM-AES-128      Encryption: on
  Key server offset: 0           Include SCI: no
  Replay protect: off           Replay window: 0
    Outbound secure channels
      SC Id: 02:00:00:01:01:04/1
      Outgoing packet number: 1
      Secure associations
      AN: 3 Status: inuse Create time: 00:01:43
    Inbound secure channels
      SC Id: 02:00:00:02:01:04/1
      Secure associations
      AN: 3 Status: inuse Create time: 00:01:43
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. Data is transmitted across the link in plaintext
- B. The link is not protected against man-in-the-middle attacks
- C. The link is protected against man-in-the-middle attacks
- D. Data is transmitted across the link in cyphertext

Correct Answer: BD

QUESTION 5

You have designed the firewall filter shown in the exhibit to limit SSH control traffic to yours SRX Series device without affecting other traffic.

Which two statement are true in this scenario? (Choose two.)

- A. The filter should be applied as an output filter on the loopback interface.



- B. Applying the filter will achieve the desired result.
- C. Applying the filter will not achieve the desired result.
- D. The filter should be applied as an input filter on the loopback interface.

Correct Answer: CD

Reference: https://www.juniper.net/documentation/en_US/junos/topics/concept/firewall-filter-ex-series-evaluationunderstanding.html

[Latest JN0-635 Dumps](#)

[JN0-635 VCE Dumps](#)

[JN0-635 Practice Test](#)