



JN0-635^{Q&As}

Security, Professional

Pass Juniper JN0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which three types of peer devices are supported for CoS-based IPsec VPNs? (Choose three.)

- A. branch SRX Series device
- B. third-party device
- C. cSRX
- D. high-end SRX Series device
- E. vSRX

Correct Answer: ADE

Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/securiry-cos-basedipseccvpns.html

QUESTION 2

You are asked to set up notifications if one of your collector traffic feeds drops below 100 kbps.

Which two configuration parameters must be set to accomplish this task? (Choose two.)

- A. Set a traffic SNMP trap on the JATP appliance
- B. Set a logging notification on the JATP appliance
- C. Set a general triggered notification on the JATP appliance
- D. Set a traffic system alert on the JATP appliance

Correct Answer: BD

QUESTION 3

You have noticed a high number of TCP-based attacks directed toward your primary edge device. You are asked to configure the IDP feature on your SRX Series device to block this attack. Which two IDP attack objects would you configure to solve this problem? (Choose two.)

- A. Network
- B. Signature
- C. Protocol anomaly
- D. host

Correct Answer: BC



QUESTION 4

A user is unable to reach a necessary resource. You discover the path through the SRX Series device includes several security features. The traffic is not being evaluated by any security policies.

In this scenario, which two components within the flow module would affect the traffic? (Choose two.)

- A. services/ALG
- B. destination NAT
- C. source NAT
- D. route lookup

Correct Answer: BD

QUESTION 5

Click the Exhibit button.

```
user@host# show system security-profile
production-profile {
  zone {
    maximum 10;
    reserved 5;
  }
  logical-system [ ACME WILEY ];
}
development-profile {
  zone {
    maximum 7;
    reserved 0;
  }
  logical-system [ IT-design security ];
}
master-profile {
  zone {
    maximum 40;
    reserved 17;
  }
  root-logical-system;
}
```

Referring to the exhibit, what is the maximum number of zones that are able to be created within all logical systems?

- A. 74



B. 34

C. 40

D. 17

Correct Answer: C

[Latest JN0-635 Dumps](#)

[JN0-635 VCE Dumps](#)

[JN0-635 Practice Test](#)