

JN0-635^{Q&As}

Security, Professional

Pass Juniper JN0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/jn0-635.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/jn0-635.html 2024 Latest passapply JN0-635 PDF and VCE dumps Download

QUESTION 1

An administrator wants to implement persistent NAT for an internal resource so that external hosts are able to initiate communications to the resource, with the internal resource having previously sent packets to the external hosts.

Which configuration setting is used to accomplish this goal?

- A. persistent-nat permit any-remote-host
- B. persistent-nat permit target-host-port
- C. address-persistent
- D. persistent-nat permit target-host

Correct Answer: A

QUESTION 2

The monitor traffic interface command is being used to capture the packets destined to and the from the

SRX Series device.

In this scenario, which two statements related to the feature are true? (Choose two.)

- A. This feature does not capture transit traffic.
- B. This feature captures ICMP traffic to and from the SRX Series device.
- C. This feature is supported on high-end SRX Series devices only.
- D. This feature is supported on both branch and high-end SRX Series devices.

Correct Answer: AD

Reference: https://forums.juniper.net/t5/Ethernet-Switching/monitor-traffic-interface/td-p/462528

QUESTION 3

Malware that is detonated by the JATP sandbox must be able to communicate with the Internet without being able to harm your local network resources.

Which statement is correct in this scenario?

- A. The management interface must be connected to the Internet zone
- B. The exhaust interface must be connected to the Internet zone
- C. The honeypot interface must be connected to the Internet zone
- D. The monitoring interface must be connected to the Internet zone

VCE & PDF PassApply.com

https://www.passapply.com/jn0-635.html

2024 Latest passapply JN0-635 PDF and VCE dumps Download

Correct Answer: A

Reference: https://www.juniper.net/documentation/en_US/release-independent/jatp/topics/topic-map/jatpgetting-

started.html

QUESTION 4

What are two important function of the Juniper Networks ATP appliance solution? (Choose two.).

- A. Statistics
- B. Analysis
- C. Detection
- D. Filtration

Correct Answer: BC

Reference: https://www.juniper.net/us/en/products-services/security/advanced-threat-prevention/

QUESTION 5

Click the Exhibit button.

user@srx> show security mka statistics

3
3
0
6
0
0
0
0
0
0
0

While configuring the SRX345, you review the MACsec connection between devices and note that it is not working.

Referring to the exhibit, which action would you use to identify problem?

A. Verify that the formatting settings are correct between the devices and that the software supports the version of MACsec in use



https://www.passapply.com/jn0-635.html 2024 Latest passapply JN0-635 PDF and VCE dumps Download

- B. Verify that the connectivity association key and the connectivity association key name match on both devices
- C. Verify that the transmission path is not replicating packets or correcting frame check sequence error packets
- D. Verify that the interface between the two devices is up and not experiencing errors

Correct Answer: B

Reference: https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/ show-security-mka-statistics.html

JN0-635 VCE Dumps

JN0-635 Practice Test

JN0-635 Exam Questions