



# JN0-635<sup>Q&As</sup>

Security, Professional

## Pass Juniper JN0-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-635.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

You have designed the firewall filter shown in the exhibit to limit SSH control traffic to yours SRX Series device without affecting other traffic.

Which two statement are true in this scenario? (Choose two.)

- A. The filter should be applied as an output filter on the loopback interface.
- B. Applying the filter will achieve the desired result.
- C. Applying the filter will not achieve the desired result.
- D. The filter should be applied as an input filter on the loopback interface.

Correct Answer: CD

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/concept/firewall-filter-ex-series-evaluationunderstanding.html](https://www.juniper.net/documentation/en_US/junos/topics/concept/firewall-filter-ex-series-evaluationunderstanding.html)

---

### QUESTION 2

Exhibit.



```
[edit]
user@srx# show system security-profile
SP-1 {
    policy {
        maximum 100;
        reserved 50;
    }
    zone {
        maximum 100;
        reserved 50;
    }
    nat-nopat-address {
        maximum 115;
        reserved 100;
    }
    nat-static-rule {
        maximum 125;
        reserved 100;
    }
}

[edit]
user@srx# show tenants
C-1 {
    security-profile {
        SP-1;
```

Referring to the exhibit, which two statements are true? (Choose two.)

- A. The c-1 TSYS has a reservation for the security flow resource.
- B. The c-1 TSYS can use security flow resources up to the system maximum.
- C. The c-1 TSYS cannot use any security flow resources.
- D. The c-1 TSYS has no reservation for the security flow resource.



Correct Answer: CD

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-profile-logical-system.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-profile-logical-system.html)

---

### QUESTION 3

Click the Exhibit button.



```
user@host# show security idp-policy my-policy rulebase-ips
rule 1 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            no-action;
        }
    }
}
rule 2 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            ignore-connection;
        }
    }
}
rule 3 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            drop-packet;
        }
    }
}
rule 4 {
    match {
        attacks {
            custom-attacks my-signature;
        }
    }
    then {
        action {
            close-client-and-server;
        }
    }
}
```



You have recently committed the IPS policy shown in the exhibit. When evaluating the expected behavior, you notice that you have a session that matches all the rules in your IPS policy.

In this scenario, which action would be taken?

- A. drop packet
- B. no-action
- C. close-client-and-server
- D. ignore-connection

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-idp-policy-rulesand-rulebases.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-idp-policy-rulesand-rulebases.html)

---

#### QUESTION 4

You are asked to set up notifications if one of your collector traffic feeds drops below 100 kbps.

Which two configuration parameters must be set to accomplish this task? (Choose two.)

- A. Set a traffic SNMP trap on the JATP appliance
- B. Set a logging notification on the JATP appliance
- C. Set a general triggered notification on the JATP appliance
- D. Set a traffic system alert on the JATP appliance

Correct Answer: BD

---

#### QUESTION 5

You must implement an IPsec VPN on an SRX Series device using PKI certificates for authentication. As part of the implementation, you are required to ensure that the certificate submission, renewal, and retrieval processes are handled automatically from the certificate authority.

In this scenario, which statement is correct.

- A. You can use CRL to accomplish this behavior.
- B. You can use SCEP to accomplish this behavior.
- C. You can use OCSP to accomplish this behavior.
- D. You can use SPKI to accomplish this behavior.



Correct Answer: B

**Certificate Renewal** The renewal of certificates is much the same as initial certificate enrollment except you are just replacing an old certificate (about to expire) on the VPN device with a new certificate. As with the initial certificate request, only manual renewal is supported. SCEP can be used to re-enroll local certificates automatically before they expire. Refer to Appendix D for more details.

[Latest JN0-635 Dumps](#)

[JN0-635 Study Guide](#)

[JN0-635 Exam Questions](#)