



# JN0-647<sup>Q&As</sup>

Enterprise Routing and Switching Exam

**Pass Juniper JN0-647 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-647.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two statements about MVRP are correct? (Choose two.)

- A. MVRP monitors interfaces using VSTP and dynamically creates VLANs as necessary
- B. MVRP PDUs are sent to other switches as periodic intervals.
- C. MVRP can propagate dynamic VLANs created on one switch to another switch
- D. MVRP is enabled by adding trunk ports under the [edit protocols mvrp] hierarchy.

Correct Answer: CD

---

### QUESTION 2

Click the Exhibit button.



```
user@ switch> show configuration
interfaces {
  ge-0/0/1 {
    unit 0 {
      description "interface 1";
      family ethernet-switching {
        vlan {
          members v10;
        }
      }
    }
  }
}

ge-0/0/2
  unit 0 {
    description "interface 2";
    family ethernet-switching {
      interface-mode access;
      vlan {
        members v20;
      }
    }
  }
}

ge-0/0/3 {
  native-vlan- id 1;
  unit 0 {
    description "interface 3":
    family Ethernet-switching {
      interface-mode trunk;
      vlan {
        members [1 v10 v20];
      }
    }
  }
}
}
vlans {
```



```

v10 {
  description "VLAN 10";
  vlan-id 10;
}
v20 {
  description "VLAN 20";
  vlan-id 20;
}
}
}

```


Referring to the exhibit which two statements are true? (Choose two.)

- A. Untagged control packets entering interface ge-0/0/1 are not recognized.
- B. Untagged data packets entering interface ge-0/0/2 will be tagged with VLAN ID 20.
- C. Untagged control packets entering interface ge-0/0/3 are passed without a VLAN tag.
- D. Untagged data packets entering interface ge-0/0/3 will be tagged with VLAN ID 1.

Correct Answer: BD

### QUESTION 3

Click the Exhibit button.



Switch 4 is rebooted as shown in the exhibit.

Which statement is correct in this scenario?



- A. CIST is reconverged.
- B. MSTI-1 is reconverged.
- C. CIST generates notification events.
- D. MSTI-2 is reconverged.

Correct Answer: B

#### QUESTION 4


Which router ID is correct for OSFPv3?

- A. 0.0.0.0
- B. 2001:123:6::1
- C. ::172.16.1.1
- D. 172.16.1.1

Correct Answer: D

#### QUESTION 5

Click the Exhibit button.



Your network is experiencing congestion across the link between R2 and R3. You must make changes to alleviate traffic congestion from R3 to R2.

Referring to the exhibit, which two commands would accomplish this task? (Choose two.)



- A. [edit protocol ospf]  
user@R1# set reference-bandwidth 10g
- B. [edit protocol ospf]  
user@R3# set reference-bandwidth 10g
- C. [edit protocols ospf area 0.0.0.0 ]  
user@R1# set interface fe-1/0/1 metric 5
- D. [edit protocols ospf area 0.0.0.0 ]  
user@R3# set interface fe-1/0/1 metric 5

A. B. C. D.

Correct Answer: BD

[JN0-647 PDF Dumps](#)

[JN0-647 VCE Dumps](#)

[JN0-647 Practice Test](#)