



JN0-648^{Q&As}

Enterprise Routing and Switching, Professional (JNCIP-ENT)

Pass Juniper JN0-648 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-648.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You have an IPv4 multicast network configured as PIM-SM.

What must be done before replacing your static RP with auto-RP?

- A. Enable sparse-dense mode on each of the routers in the network.
- B. Configure auto-RP domains on each router in the network.
- C. Configure each router in the network as a candidate BSR.
- D. Enable each router in the network to forward multicast packets.

Correct Answer: A

QUESTION 2

Click the Exhibit button.



```
[edit]
uer@router# show policy-options
prefix-list known-ok-sites {
    10.10.0.0/16;
    12.233.0.0/18;
    172.16.0.0/24;
    192.168.12.0/24;
}

prefix-list known-dir-bcast-sites {
    10.2.0.0/16;
    12.233.45.0/24;
    172.16.0.3/32;
    192.168.1.0/24;
}

policy-statement prefix-list-policy {
    term 1 {
        from {
            prefix-list known-ok-sites;
        }
        then accept;
    }
    term 2 {
        from {
            prefix-list known-dir-bcast-sites;
        }
        then reject;
    }
    term 3 {
        from {
            route-filter 12.233.45.5/32 exact;
        }
        then next policy;
    }
}
```

The policy shown in the exhibit is applied as an export policy to your BGP neighborhood. Which action will be taken for route 12.233.45.5?

- A. It will be rejected by term 2.
- B. It will be accepted by term 1.




C. It will be accepted by the default policy.

D. It will be evaluated by the next policy.

Correct Answer: B

QUESTION 3

Click the Exhibit button.



Referring to the exhibit, a PIM-SM network is set up to enable communication between multicast devices. Which statement is true in this scenario?



- A. After the formation of the shortest-path tree, a prune message is sent from R1 to R5.
- B. After the formation of the shortest-path tree, a prune message is sent from R1 to R2.
- C. After the formation of the shortest-path tree, a join message is sent from R5 to R1.
- D. After the formation of the shortest-path tree, a join message is sent from R1 to R5.

Correct Answer: B

QUESTION 4

You have an MX960 configured as a Fusion aggregation device (AD) and two QFX5100 switches as satellite devices (SD). You have configured local-switching for each SD. A packet with an unknown MAC address is received on one of the SD extended ports.

Which statement is correct in this scenario?

- A. The packet is dropped and a reject message is sent out to the port where it was received.
- B. The packet is silently discarded and a reject message is sent to the AD.
- C. The packet is flooded out of all the ports on the SD except the one where it was received.
- D. The packet is sent to the AD to be processed and forwarded.

Correct Answer: D

QUESTION 5

What is the correct authentication processing order on EX Series switches when multiple Layer 2 authentication methods are enabled?

- A. MAC RADIUS –andgt; 802.1X –andgt; captive portal
- B. 802.1X –andgt; MAC RADIUS –andgt; captive portal
- C. 802.1X –andgt; captive portal –andgt; MAC RADIUS
- D. captive portal –andgt; MAC RADIUS –andgt; 802.1X

Correct Answer: B
