JN0-661^Q&As

Service Provider Routing and Switching

Pass Juniper JN0-661 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/jn0-661.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

You are asked to deploy VPLS in your network as a new service for several customers, and you must identify the configuration and provisioning requirementsfor your customer.In this scenario, which two statements are correct? (Choose two.)

A. CE interfaces facing the service provider must be Ethernet interfaces.

B. VLAN IDs defined on CE interfaces must be the same on both ends unless otherwise negotiated

C. PE interfaces facing the core must have VPLS encapsulation enabled.

D. CE interfaces facing the service provider must be Layer 3 interfaces.

Correct Answer: AB

QUESTION 2

You have a strict-high queue configured. You notice that under bursty traffic conditions, there are tail drops on the strict-high queue. Which action would solve this problem?

A. Assign a policer on ingress to assign a low packet loss priority to the strict-high queue.

B. Decrease the buffer size of the strict-high queue

C. Assign a policer on egress to assign a low packet loss priority to the strict-high queue.

D. Increase the buffer size of the strict-high queue.

Correct Answer: D

QUESTION 3

You have configured an MPLS LSP that includes defined hops. For this path, you want the MPLS label to be popped at the egress node. Which configuration statement meets this requirement?

A. Set protocols rsvp explicit-null, configured on the ingress node

B. Set protocols mpls explicit-null, configured on the egress node

C. Set protocols mpls explicit-null, configured on the ingress node

D. Set protocols rsvp implicit-null, configured on the egress node

Correct Answer: B

QUESTION 4

Refer to Exhibit:

Given the configuration shown in the exhibit and the admin groups assigned to the equal cost links, which path will the LSP take to get from R1 to R10?

A. R1 > R2 > R5 > R6 > R7 > R10

B. R1>R2>R5>R8>R10

C. R1 > R2 > R4 > R3 > R6 > R7 > R8 > R10

D. R1>R2>R5>R6>R9>R10

Correct Answer: C

QUESTION 5

Which two statements describe the benefits of using point-to-multipoint LSPs in an environment with MVPNs? (Choose two.)

A. Performance levels within the LSPs can be guaranteed, regardless of the signaling protocol used.

B. A service provider network does not need to run PIM to support multicast routing.

C. Data replication can be done by downstream LSRs and not just by the ingress PE router.

D. Multicast traffic can be protected, regardless of the signaling protocol used.

Correct Answer: BC

JN0-661 VCE Dumps   JN0-661 Practice Test   JN0-661 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: