

# JN0-661<sup>Q&As</sup>

Service Provider Routing and Switching

# Pass Juniper JN0-661 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/jn0-661.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.passapply.com/jn0-661.html

### **QUESTION 1**

Your customer requires a Layer 2 VPN service (draft-kompella-mpls-l2vpn). You are asked to describe the operational requirements on the PE router supporting this service.

Which two statements are true in this scenario? (Choose two.)

- A. The ingress PE router associates multiple MPLS labels with the corresponding traffic flows.
- B. The ingress PE router for a traffic flow maintains the data-link connection identifier
- C. The ingress PE router for a traffic flow removes the data-link connection identifier.
- D. The ingress PE router associates a single MPLS label with the corresponding traffic flows.

Correct Answer: AC

### **QUESTION 2**

-- Exhibit?



-- Exhibit -

Click the Exhibit button.

Referring to the exhibit, what are three operations performed by the service provider\\'s PE routers? (Choose three.)

- A. Modify the VRF label assigned using MP-BGP.
- B. Maintain the customer\\'s /32 loopback internal routes.
- C. Use MP-EBGP to send Customer Site 2\\'s internal routes to CE-1.
- D. Maintain the customer\\'s external routes.
- E. Maintain routes internal to the provider\\'s network.

Correct Answer: BCE



#### **QUESTION 3**

Refer to the exhibit.

user@R2> show route 10.100.100.0

inet.0: 16 destinations, 16 routes (16 active, 0 holddown, 0 hidden)

+ = Active Route, - = Last Active, \* = Both

10.100.100.0/24 \*[OSPF/150] 00:04:14, metric 11, tag 112

> to 10.10.10.1 via ge-0/0/0.0

user@R2> show ospf neighbor

Address Interface State ID Dead 10.10.10.1 ge-0/0/0.0 Full 30 1.1.1.1 4.4.4.4 10.10.11.2 ge-0/0/1.0 Full 128 31

user@R2> show ospf database Isa-id 10.100.100.0 extensive

OSPF AS SCOPE link state database

Type ID Adv Rtr Seq Age Opt Cksum Len Extern 10.100.100.0 1.1.1.1 0x80000002 19 0x22 0x22be 36

mask 255.255.255.0

Topology default (ID 0)

Type: 1, Metric: 10, Fwd addr: 0.0.0.0, Tag: 0.0.0.112

Aging timer 00:59:41

Installed 00:00:18 ago, expires in 00:59:41, sent 00:00:18 ago

Last changed 00:00:18 ago, Change count: 2

Extern 10.100.100.0 4.4.4.4 0x80000003 12 0x22 0xf70d 36

mask 255.255.255.0

Topology default (ID 0)

Type: 2, Metric: 100, Fwd addr: 0.0.0.0, Tag: 0.0.0.100

Aging timer 00:59:48

Installed 00:00:11 ago, expires in 00:59:48, sent 00:00:11 ago

Last changed 00:00:11 ago, Change count: 3

In the exhibit, R2 is receiving the 10.100.100.0/24 prefix from R1 and R4. R1 uses the 1.1.1.1 router ID and R4 uses the 4.4.4.4 router ID to advertise the prefix to R2. Why is R2 preferring the version of the route that R1 is advertising?

- A. The version of the route that R4 is advertising has a higher metric value.
- B. The version of the route that R4 is advertising has an external Type 2 LSA value.
- C. The version of the route that R1 is advertising has a lower associated router ID value.



## https://www.passapply.com/jn0-661.html

2021 Latest passapply JN0-661 PDF and VCE dumps Download

D. The version of the route that R1 is advertising has a lower age value.

Correct Answer: B

#### **QUESTION 4**

You have recently deployed an MPLS network using CSPF with its default settings. Which statement is true regarding path selection when multiple candidate paths exist?

- A. The path selected will be based on the most-fill bandwidth ratio.
- B. The path selected will be based on the least-fill bandwidth ratio.
- C. The path selected will be based on a randomized algorithm.
- D. The path selected will be based on the first-hop LSR\\'s RID.

Correct Answer: C

#### **QUESTION 5**

Which two statements are true about route leaking in a Level 1 -Level 2 network environment? (Choose two.)

- A. Level 1 internal routes can be leaked into Level 2. but require a policy.
- B. Level 1 external routes are leaked into Level 2 without a policy if the wide-metrics parameter is configured.
- C. Level 2 internal routes can be leaked into Level 1, but require a policy.
- D. Level 2 external routes are leaked into Level 1 without a policy if the wide-metrics parameter is configured

Correct Answer: BC

Latest JN0-661 Dumps

JN0-661 Study Guide

JN0-661 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

# **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.