



JN0-662^{Q&As}

Service Provider Routing and Switching - Professional (JNCIP-SP)

Pass Juniper JN0-662 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-662.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Click the Exhibit button.



You have configured the OSPF network as shown in the exhibit. However, R4 and R5 do not have connectivity to prefixes outside of Area 10. In this scenario, what will solve this problem?

- A. Configure default-metric on R2 and R3 for Area 10.
- B. Configure no-summaries on R4 for Area 10.
- C. Create a routing policy on R2 and R3 to redistribute Area 0 routes.
- D. Configure the R2-R4 and R3-R4 links as interface-type p2mp.

Correct Answer: A

QUESTION 2

Which neighbor state indicates that two BGP neighbors have full connectivity?

- A. Idle




- B. Connect
- C. OpenConfirm
- D. Established

Correct Answer: D

QUESTION 3

Click the Exhibit button.



Referring to the exhibit, what information must be acquired about AS65200's configuration for AS65100 to build an interprovider VPN between PE1 to PE2?

- A. the route-distinguisher of PE2 and the loopback of PE2
- B. the route-distinguisher of PE2 and the loopback of ASBR2
- C. the route-target used for CE-A2 and the loopback of PE2
- D. the route-target used for CE-A2 and the loopback of ASBR2

Correct Answer: C

QUESTION 4

You want to add a new OSPF area to your existing OSPF network, however, this area will not be directly connected to Area 0. Which feature would you use to complete this task?

- A. a routing policy
- B. not-so stubby area
- C. virtual link
- D. Type 10 LSA



Correct Answer: C

QUESTION 5

After committing the following configuration change on your MPLS VPN PE router, all MPLS VPN destinations become unreachable.

```
user@router# show protocols mpls  
traffic-engineering bgp-igp;
```

Which additional configuration solves the issue?

- A.
- B.
- C.
- D.

Correct Answer: C

[JN0-662 PDF Dumps](#)

[JN0-662 Exam Questions](#)

[JN0-662 Braindumps](#)