



JN0-662^{Q&As}

Service Provider Routing and Switching - Professional (JNCIP-SP)

Pass Juniper JN0-662 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-662.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click the Exhibit button.

```
[edit interfaces]
user@router# show
ge-1/0/0 {
  unit 0 {
    family inet {
      filter {
        input inbound_filter;
        output outbound_filter;
      }
      policer {
        input inbound_policer;
        output outbound_policer;
      }
      address 10.10.100.1/24;
    }
  }
}
```

Referring to the exhibit, in which order will ICMP traffic be processed by the configured filters and policers for interface ge-1/0/0?

- A. input filter, input policer, output policer, output filter
- B. input policer, input filter, output policer, output filter
- C. input filter, input policer, output filter, output policer
- D. input policer, input filter, output filter, output policer

Correct Answer: D

QUESTION 2

You are troubleshooting a Layer 3 VPN issue. The VPN has been passing traffic successfully for some time, but now it is reported that traffic is no longer flowing. You look into the bgp.l3vpn.0 table and see newly hidden routes.

What would be the cause of this problem?

- A. The LSP used to connect the PE routers is down.
- B. The connection from the PE to the customer is down.
- C. The BGP routes received from the customer are no longer reachable.
- D. The family inet-vpn parameter was deleted from the BGP configuration of the PE router.



Correct Answer: D

QUESTION 3

Click the Exhibit button.

```
[edit protocols]
user@router# show
pim {
  rp {
    local {
      address 10.1.1.2;
    }
  }
}
```

While logging in to routers on your network, you find the exact configuration shown in the exhibit on multiple devices.

Which multicast RP strategy is being used in this scenario?

- A. embedded-rp
- B. auto-rp
- C. bsr
- D. anycast-rp

Correct Answer: D

QUESTION 4

To reduce the size of OSPF Area 100, you configure the area with the no-summaries parameter. After committing this configuration change, you notice that an OSPF router in a remote area is no longer receiving Type 5 LSAs from an ASBR in Area 100.

Which statement is true in this scenario?

- A. The ASBR in Area 100 generates Type 5 LSAs, and places them in its own database.
- B. The ASBR in Area 100 generates Type 5 LSAs, and they are translated to Type 7 LSAs.
- C. The ASBR in Area 100 generates Type 5 LSAs, and they are blocked by the ABR.
- D. The ASBR in Area 100 generates Type 5 LSAs, and a virtual link is required for transport to other areas.

Correct Answer: B

QUESTION 5



According to Juniper Networks, what are three methods of scaling Layer 2 VPNs? (Choose three.)

- A. inbound route filters
- B. route reflection
- C. outbound route filters
- D. filter-based forwarding
- E. BGP route refresh

Correct Answer: ABC

[Latest JN0-662 Dumps](#)

[JN0-662 Practice Test](#)

[JN0-662 Exam Questions](#)