



JN0-681^{Q&As}

New Data Center, Professional

Pass Juniper JN0-681 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-681.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What are three functions supported by the Contrail Command user interface? (Choose three.)

- A. enabling VM-to-BMS bridging
- B. onboarding of an IP Fabric
- C. configuring management domains
- D. integrated syslog collector
- E. creating virtual networks

Correct Answer: CDE

QUESTION 2

Which EVPN route type prevents BUM traffic from looping back to a multihomed host?

- A. IP prefix route
- B. Ethernet autodiscovery route
- C. Ethernet segment route
- D. inclusive multicast-Ethernet tag route

Correct Answer: B

QUESTION 3

You are asked to manage the oversubscription ratio of your spine and leaf IP fabric. You determine that you are at a 3:1 ratio of downstream to upstream traffic and must achieve a 1:1 ratio.

In this scenario, which two actions would you take to achieve this goal? (Choose two.)

- A. Increase the number of server-facing ports that each leaf node uses to carry traffic.
- B. Reduce the number of server-facing ports that each leaf node uses to carry traffic.
- C. Increase the number of spine nodes in your design.
- D. Reduce the number of leaf nodes in your design.

Correct Answer: BC

QUESTION 4



When using EBGp as the underlay protocol for your IP fabric architecture, which two statements are true? (Choose two.)

- A. Spine nodes only peer to leaf nodes.
- B. Leaf nodes peer to both spine and leaf nodes.
- C. Leaf nodes only peer to spine nodes.
- D. Spine nodes peer to both leaf and spine nodes.

Correct Answer: AC

QUESTION 5

What are three advantages of using MPLS for data center interconnects? (Choose three.)

- A. dedicated MPLS backbones for Layer 2 and Layer 3 DCIs
- B. any-to-any connectivity
- C. traffic engineering
- D. dedicated connections between customer sites
- E. sub 50 ms failover times

Correct Answer: ACE

[JN0-681 PDF Dumps](#)

[JN0-681 VCE Dumps](#)

[JN0-681 Practice Test](#)