



JN0-740^{Q&As}

ACX, Specialist (JNCIS-ACX)

Pass Juniper JN0-740 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-740.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

-- Exhibit -

```
C - Connected, S - Static, A - Auto-Exported, I - Imported
iB - IBGP, eB - EBGP, R - RIP, O - OSPF, E1 - OSPF external type 1
E2 - OSPF external type 2

untrust-vr (0 entries)
=====

trust-vr (8 entries)
=====
  ID IP-Prefix          Interface      Gateway        P   Pref   Mtr Vsys
-----
*   9 0.0.0.0/0         eth8           1.1.8.254      S   20    1 Root
*   8 1.1.70.0/24      eth7           1.1.7.254      S   20    1 Root
*   7 10.1.20.0/24     eth2           10.1.2.254     S   20    1 Root
*   2 10.1.1.0/24      eth1           0.0.0.0        C   0     0 Root
*   3 10.1.2.0/24      eth2           0.0.0.0        C   0     0 Root
```

-- Exhibit -Click the Exhibit button to view the exhibit.

Review the exhibit. Which command generated the output shown?

- A. ping
- B. get route
- C. traceroute
- D. get route ip
- E. get interface

Correct Answer: D

QUESTION 2

Which method should be used to verify that NAT-src translation is occurring?

- A. Run the get sa command.
- B. Run the get nat command.
- C. Run the get policy command.
- D. Run the get session command.

Correct Answer: D



QUESTION 3

Which two statements are correct regarding tasks that can be performed only by the root administrator? (Choose two.)

- A. Reset command.
- B. Create virtual systems.
- C. Deactivate asset recovery.
- D. Create local administrators.

Correct Answer: CD

QUESTION 4

How is Diffie-Hellman referred to when it is used in IKE phase 2?

- A. PFA
- B. PFS
- C. SCS
- D. SFS

Correct Answer: B

QUESTION 5

What are two benefits of configuring a ScreenOS device in transparent mode? (Choose two.)

- A. There is no need to reconfigure the IP addresses of routers or protected servers.
- B. There is no need to create MIPs or VIPs for incoming traffic to reach protected servers.
- C. Policies are easier to create since you do not have to include source and destination IP addresses.
- D. The product can support more VPNs and obtain greater throughput because there is less overhead to manage.

Correct Answer: AB

[JN0-740 Practice Test](#)

[JN0-740 Study Guide](#)

[JN0-740 Braindumps](#)