



VCE & PDF

PassApply.com

<https://www.passapply.com/lookml-developer.html>

2024 Latest passapply LOOKML-DEVELOPER PDF and VCE dumps

Download

LOOKML-DEVELOPER^{Q&As}

LookML Developer

Pass Google LOOKML-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/lookml-developer.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Google
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A LookML developer has written the following persistent derived table. It references orders_rollup, another persistent derived table that also rebuilds with the same SQL trigger value.

```
view: user_facts {  
  
  derived_table: {  
  
    sql_trigger_value: SELECT "current date function";;  
  
    sql: SELECT col1, col2, col3  
  
    FROM ${orders_rollup.SQL_TABLE_NAME} ;;  
  
  }  
}
```

QUESTION 1/405

Which change is needed to guarantee that user_facts will always rebuild with the latest data from orders_rollup?

- A. Change the sql_trigger_value parameter of user_facts to select the current date plus one hour, so it triggers an hour after orders_rollup.
- B. Change the orders_rollup view reference to \${orders_rollup.DERIVED_TABLE_NAME}
- C. Change the sql_trigger_value parameter for both persistent derived tables to a datagroup_trigger parameter, and set them to use the same datagroup.
- D. Change the orders_rollup view reference to the literal table name from the database's scratch schema.

Correct Answer: C

QUESTION 2

Users must be able to click on the Country field in their Explore and be redirected to another Explore that shows all countries compared.

Which parameter should be added to the country dimension to create a connection to this other associated Explore?

- A. url_encode
- B. drill_fields
- C. tags



D. link

Correct Answer: D

QUESTION 3

A LookML developer is creating a new view with 20 dimensions in Development Mode using the Create View from Table functionality. Now users want the developer to add only four dimensions from this new view to an existing Explore.

What can the developer add to the Explore to limit the number of fields from the view that are accessible to the user in the Explore?

- A. Set definition
- B. Join condition
- C. Fields parameter
- D. Hidden parameter

Correct Answer: B

QUESTION 4

Business users report that they are unable to build useful queries because the list of fields in the Explore is too long to find what they need.

Which three LookML options should a developer use to curate the business user's experience? (Choose three.)

- A. Add a description parameter to each field with context so that users can search key terms.
- B. Create a separate project for each business unit containing only the fields that the unit needs.
- C. Add a group_label parameter to relevant fields to organize them into logical categories.
- D. Use the hidden parameter to remove irrelevant fields from the Explore.
- E. Use a derived table to show only the relevant fields.

Correct Answer: ACE

QUESTION 5

A user is seeing an error in the Explore that indicates the primary key defined for a one-million-row table is not unique.

How can the developer use SQL Runner to troubleshoot quickly?

- A. Create a query that selects all the fields from the table, and sort by primary key.
- B. Create a query that selects the primary key from the base view, and look for duplicates.



C. Create a query that counts how many occurrences of the primary key value are in the base view, and sort by count.

D. Create a query that concatenates two columns to create a compound primary key.

Correct Answer: D

[Latest LOOKML-DEVELOPER Dumps](#)

[LOOKML-DEVELOPER PDF Dumps](#)

[LOOKML-DEVELOPER Practice Test](#)