



# LX0-104<sup>Q&As</sup>

CompTIA Linux+ [Powered by LPI] 2

## Pass CompTIA LX0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/lx0-104.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

The presence of what file will temporarily prevent all users except root from logging into the system? (Specify the full name of the file, including path.)

A. /etc/nologin

Correct Answer: A

---

### QUESTION 2

The X11 configuration file xorg.conf is grouped into sections. How is the content of the section SectionName associated with that section?

A. It is placed in curly brackets as in Section SectionName { ... }.

B. It is placed between a line containing Section "SectionName" and a line containing EndSection.

C. It is placed between the tags and

D. It is placed after the row [SectionName].

E. It is placed after an initial unindented Section "SectionName" and must be indented by exactly one tab character.

Correct Answer: B

---

### QUESTION 3

What is true about UIDs and GIDs?

A. UIDs and GIDs share a common number space. Each time a new user or group is created, the next free ID is assigned.

B. The first four digits of each UID are the GID of the primary group of that user.

C. The GID of a group is always the sum of the UIDs of its members.

D. The number space is split up. UIDs usually reside in the range from 0 to 32767 while GIDs reside in the range from 32768 to 65535.

E. There are distinct number spaces for UIDs and GIDs, i.e. the same number may be used as both UID and a GID.

Correct Answer: E

---

### QUESTION 4

Which environment variable will override all LC\_\* variables?



- A. LANG
- B. LC\_ALL
- C. LC\_COLLATE
- D. LOCALE

Correct Answer: B

---

#### QUESTION 5

Which of the following fields are available in both the global /etc/crontab file as well as in user-specific crontab files?  
(Select TWO correct answers)

- A. Year
- B. Minute
- C. Username
- D. Command

Correct Answer: BD

[LX0-104 PDF Dumps](#)

[LX0-104 Exam Questions](#)

[LX0-104 Braindumps](#)