



LX0-104^{Q&As}

CompTIA Linux+ [Powered by LPI] 2

Pass CompTIA LX0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/lx0-104.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

What is true about groups in a Linux system? (Choose two correct answers.)

- A. Each user may be a member of several groups. However, only one group is the user's primary group.
- B. Groups may have a password that allows users to join that group temporarily.
- C. Each user can only be a member of one group at a time.
- D. Group memberships are optional such that there may be users that do not belong to any group.
- E. Groups can be nested meaning that one group can be a member of another group.

Correct Answer: AB

QUESTION 2

Which command is used to manually assign an IP address to a network interface? (Specify only the command without any path or parameters.)

- A. ifconfig

Correct Answer: A

QUESTION 3

What is true about the ntpdate command?

- A. It is the primary management command for the NTP time server.
- B. It updates the local system's date (i.e. day, month and year) but not the time (i.e. hours, minutes, seconds).
- C. It queries one or more NTP time servers and adjusts the system time accordingly.
- D. It sends the local system time to one or many remote NTP time servers for redistribution.
- E. It can be used by any user to set the user clock independently of the system clock.

Correct Answer: C

QUESTION 4

Which of the following IPv4 networks are reserved by IANA for private address assignment and private routing? (Choose THREE correct answers.)

- A. 127.0.0.0/8



- B. 10.0.0.0/8
- C. 169.255.0.0/16
- D. 172.16.0.0/12
- E. 192.168.0.0/16

Correct Answer: BDE

QUESTION 5

To prevent a specific user from scheduling tasks with at, what should the administrator do?

- A. Add the specific user to /etc/at.allow file.
- B. Add the specific user to [deny] section in the /etc/atd.conf file.
- C. Add the specific user to /etc/at.deny file.
- D. Add the specific user to nojobs group.
- E. Run the following: atd --deny [user].

Correct Answer: C

[Latest LX0-104 Dumps](#)

[LX0-104 VCE Dumps](#)

[LX0-104 Braindumps](#)