



MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER^{Q&As}

Magento Certified Professional Cloud Developer

Pass Magento MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/magento-certified-professional-cloud-developer.html>

100% Passing Guarantee
100% Money Back Assurance





Following Questions and Answers are all new published by Magento Official Exam Center



VCE & PDF

PassApply.com

<https://www.passapply.com/magento-certified-professional-cloud-developer>
2024 Latest passapply MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER PDF and VCE dumps Download

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You need to directly access the database that belongs to your Integration environment from your local environment.

How do you achieve this?

- A. Find the connection information from the env.php file and connect with your local MySQL client
- B. Collect the SSH connection details using magento-cloud ssh --pipe and connect with your local MySQL client
- C. Add the ece-tools db-expose command to your deploy hook
- D. Use the magento-cloud db:sql command

Correct Answer: C

QUESTION 2

While launching a site migrated from Magento 1, you are instructed to change the website CNAME record in your DNS provider by Magento for go live.

What is the purpose of setting this record?

- A. Setting this record causes sent email to be properly authenticated and not show in junk folders.
- B. Setting this record enables the page caching service for your site.
- C. Setting this record is needed on Pro to allow upsizing servers without downtime.
- D. Setting this record reduces the time it takes for customers to start seeing your Magento 2 site.

Correct Answer: D

Reference: <https://devdocs.magento.com/cloud/live/site-launch-checklist.html>

QUESTION 3

You are testing an integration to an external service that requires you to configure an access key in an environment variable. You created a new environment to validate the functionality. The variable must only impact this environment.

How do you configure the variable?

- A. Use the magento-cloud CLI utility with the environment, inheritable and level flags
- B. Add the variable to the variables section under Project Settings specifying inheritance level
- C. Add the variable to the .magento.env.yaml file specifying the environment and inheritable
- D. Use vendor/bin/ece-tools to generate a local config.php file and commit the setting

Correct Answer: C



Reference: <https://devdocs.magento.com/cloud/env/variables-deploy.html>

QUESTION 4

You cloned the Integration branch to your local environment and imported the database dump from Integration. You performed composer install and bin/magento setup:install.

While placing an order using PayPal Express, the following error occurs:

PayPal gateway has rejected request. Security header is not valid (#10002: Security error).

What is the cause of this error?

- A. A new encryption key has been created on the setup:install action.
- B. The folder var/session has no write permissions for the web server user.
- C. PayPal Sandbox API credentials are not valid for the local environment.
- D. The PHP extension mcrypt has not been installed locally.

Correct Answer: C

QUESTION 5

A project has a Magento cron job implemented to export new order data to a file. This process can also be triggered by a custom bin/magento command. The functionality uses a lock file in var/locks to prevent concurrent execution.

There are instances when the process gets locked after Production deployments and order data is not exported.

How do you prevent this from happening?

- A. Use the VAR_LOCKS_CLEAR variable available for the post_deploy stage in the .magento.env.yaml file
- B. Write a custom post_deploy hook to delete orphan lock files and include it in the .magento.app.yaml file
- C. Use the VAR_LOCKS_CLEAR variable available for the build stage in the .magento.app.yaml file
- D. You must access the Production environment and delete the lock file

Correct Answer: A

[MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER PDF Dumps](#)

[MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER Practice Test](#)

[MAGENTO-CERTIFIED-PROFESSIONAL-CLOUD-DEVELOPER Exam Questions](#)