



MCD-LEVEL1-DELTA^{Q&As}

MuleSoft Certified Developer - Level 1 (Mule 4) DELTA

Pass Mulesoft MCD-LEVEL1-DELTA Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/mcd-level1-delta.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Mulesoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibits.

The image shows two screenshots from MuleSoft Anypoint Studio. The left screenshot displays a flow named 'main' with the following steps: 1. Listener (HTTP: GET /), 2. Set Payload (*Success - Begin*), 3. Request (HTTP: GET /data), and 4. Set Payload (*Success - End*). Below the main flow is an error handler section with an 'On Error Continue' block containing a Set Payload (*Error*) step. The right screenshot shows the 'Responses' tab for the 'HTTP: GET /' step, indicating 'There are no errors.' The response body is shown as '#[payload]'. The 'Error Response' section shows a body of '#[output text/plain --- error.description]'.

```
<flow name="main">
  <http:listener doc:name="HTTP: GET /" config-ref="HTTP_Listener_config" path="/" />
  <set-payload value="Success - Begin" doc:name="Success - Begin" />
  <http:request method="GET" doc:name="HTTP: GET /data" url="http://mu.learn.mulesoft.com/data"/>
  <set-payload value="Success - End mainFlow" doc:name="Success - End" />
  <error-handler >
    <on-error-continue enableNotifications="true" logException="true" doc:name="On Error Continue">
      <set-payload value="Error" doc:name="Error" />
    </on-error-continue>
  </error-handler>
</flow>
```

A web client submits a request to the HTTP Listener and the HTTP Request throws an error. What payload and status code are returned to the web client? Refer to the exhibits. A web client submits a request to the HTTP Listener and the HTTP Request throws an error.

What payload and status code are returned to the web client?

- A. Response body: "Error" Default response status code: 200
- B. Response body: "Success - Begin*" Default response status code: 200
- C. Error response body: error, description Default error response status code: 500
- D. Response body: "Success - End" Default response status code: 200



Correct Answer: A

QUESTION 2

What module and operation will throw an error if a Mule event's payload is not a number?

- A. Validation module's Is number operation
- B. Filter module's Is number operation
- C. None of these
- D. Validation module's Is not a number operation

Correct Answer: A

QUESTION 3

Refer to the exhibit.



What is the correct syntax to add an employee ID as a URI parameter in an HTTP Listener path?

- A. (employeeID)
- B. \${employeeID}
- C. {employeeID}
- D. # [employeeID]

Correct Answer: C

QUESTION 4

To avoid hard-coding values, a flow uses some property placeholders and the corresponding values are stored in a configuration file.

Where does the configuration file's location need to be specified in the Mule application?

- A. The pom.xml file



- B. A global element
- C. The mule-art if act .json file
- D. a flow attribute

Correct Answer: B

QUESTION 5

Refer to the exhibit.



A Mule event is composed of a hierarchy of objects. Where in the hierarchy are variables stored?

- A. Mule event
- B. Mule message payload
- C. Mule message
- D. Mule message attributes

Correct Answer: A